VOLUME 67 • AUTHOR INDEX

Aarsland D *et al.* Range of neuropsychiatric disturbances in patients with Parkinson's disease, **492**
Abbruzzese G *see* Defazio G *et al*
Absi L *see* Antoine J-C *et al*
Achene A *see* Sotgiu S *et al*
Acheson JF. Vigabatrin associated visual field constriction: *commentary*, **707**
Adair JC *see* Kim M *et al*
Adams CR *see* Kuo AA *et al*
Adèr HJ *see* Beenen LFM *et al*
Agelink M *see* Postert T *et al*
Ajiki M *see* Sudo K *et al*
Akinola A *et al.* Cardiovascular, autonomic, and plasma catecholamine responses in unilateral and bilateral carotid artery stenosis, **428**
Alarcón G *see* Torre JLF *et al*
Albanese A *see* Defazio G *et al*
see Jarman PR *et al*
Aldrich M *see* Bassetti C and Aldrich M
Algra A *see* Delanty N *et al*
see Delanty N *et al*
Al-Moallem M *see* Silber E *et al*
Al-Shahi R, Warlow CP. Prospective, population based studies of cavernous malformations are needed: *correspondence*, **833**
Alvarez R *et al.* Angiotensin converting enzyme and endothelial nitric oxide synthase DNA polymorphisms and late onset Alzheimer's disease, **733**
Alvarez V *see* Alvarez R *et al*
Alvarez-Sabín J *see* Montaner J and Alvarez-Sabín J
Amoiridis G. All tibial foot: an electrophysiological artifact: *correspondence*, **698**
Anastasopoulos D, Bronstein AM. A case of thalamic syndrome: somatosensory influences on visual orientation, **390**
Andreae L *see* Chalmers RM *et al*
Andrich J *see* Postert T *et al*
Angarano G *see* Monno L *et al*
Antinnes J *see* Ferrari R *et al*
Antoine J-C *et al.* Carcinoma associated paraneoplastic peripheral neuropathies in patients with and without anti-onconeural antibodies, **7**
Aoki M *see* Sonoo M *et al*
Apel TW *see* Gläsker S *et al*
Appice A *see* Monno L *et al*
Arimura K *see* Otsuka R *et al*
Arimura Y *see* Otsuka R *et al*
Ariza A *see* Muñoz E *et al*
Arnold U *see* Goldenberg G *et al*
Aronen HJ *see* Pohjasvaara T *et al*
Arrufat FJ *see* Cohen E *et al*
Asahina M *see* Mori M *et al*
Ashkan K, Casey AT. Christmas tree sign, **824**
Assennato G *see* Defazio G *et al*
Assies J *see* van Geel BM *et al*
Auburger G *see* Jarman PR *et al*
Avellino AM *see* Coplin WM *et al*
Ay H *see* Persaud R *et al*
Aziz TZ *see* Aziz TZ *et al*
Aziz TZ *et al.* Deep brain stimulation in Parkinson's disease: *editorial*, **281**
Azzolini M *see* Tulen JHM *et al*

Babic T *et al.* The cholinergic hypothesis of Alzheimer's disease: a review of progress: *correspondence*, **558**
Badry L *see* Müller J *et al*
Bagg LR *see* Melzer M *et al*
Baguley IJ *et al.* Dysautonomia after traumatic brain injury: a forgotten syndrome?, **39**
Bain PG *see* Aziz TZ *et al*
Baldini S *see* Solari A *et al*
Balestri P *see* Grosso S *et al*
Ball JA *see* McAuley JH *et al*
Ballard C *see* Barber R *et al*
Ballesta F *see* Muñoz E *et al*
Ballesteros RA *see* Menkes DL *et al*
Barber PC *see* Burton EA *et al*
Barber R *et al.* White matter lesions on magnetic resonance imaging in dementia with Lewy bodies, Alzheimer's disease, vascular dementia, and normal aging, **66**
Barbieri E *see* Solari A *et al*
Barker GJ *see* Davie CA *et al*
Barone P *see* Hadjivassiliou M *et al*
Barrantes N *see* Cohen E *et al*
Barth PG *see* van Geel BM *et al*
Basciani M *see* Defazio G *et al*
Bassetti C, Aldrich M. Night time versus daytime transient ischaemic attack and ischaemic stroke: a prospective study of 110 patients, **463**
Bastianello S *see* Filippi M *et al*
see Gasperini C *et al*
Bateman DE *et al.* Sleep benefit in Parkinson's disease, **384**
Batocchi AP *et al.* Positive response to therapy in a patient with seropositive paraneoplastic cerebellar degeneration and an endometrioid carcinoma of the vesico- vaginal septum: *letter*, **412**
Baumgartner I *see* Kaplan PW *et al*
Baumgartner RW *see* Kaplan PW *et al*
Becquet E *see* Dujardin K *et al*
Beenen LFM *et al.* Comparative double blind clinical trial of phenytoin and sodium valproate as anticonvulsant prophylaxis after craniotomy: efficacy, tolerability, and cognitive effects, **474**
Beeson D *see* Evangelou N *et al*
Bell JD *see* Hu MTM *et al*
Beltrami G *see* Versino M *et al*
Benabid AL *see* Caparros-Lefebvre D *et al*
Benabid A-L *see* Gentil M *et al*
Bender BU *see* Gläsker S *et al*
Bennetts BH *see* Heard RNS *et al*
Bentivoglio AR *see* Jarman PR *et al*
Berardelli A *see* Defazio G *et al*
Bergami A *see* Furlan R *et al*
Bergman J *see* Rinne JO *et al*
Berkovic SF *see* O'Shea MF *et al*
Bernabei R *see* Gambassi G *et al*
Bernardo M *see* Cohen E *et al*
Bertolasi L *see* Defazio G *et al*
Bhatia K *et al.* Botulinum toxin is a useful treatment in excessive drooling of saliva: *letter*, **697**
Bhatia KP *et al.* Generalised muscular weakness after botulinum toxin injections for dystonia: a report of three cases, **90**
Bicik I *see* Ferrari R *et al*
Binnie CD *see* Torre JLF *et al*
Blanco P *et al.* Extensive brain calcifications in systemic sclerosis: two cases: *letter*, **697**
Blaszyk H *see* Spuler A *et al*
Bloem BR *et al.* Magnetic resonance imaging and vertebral artery dissection: *letter*, **691**
Blond S *see* Caparros-Lefebvre D *et al*
Blumhardt LD *see* Liu C and Blumhardt LD
Bodnar P *see* Menkes DL *et al*
Bogerts B *see* Northoff G *et al*
Boget T *see* Cohen E *et al*
Bogousslavsky J *see* Devuyst G and Bogousslavsky J
Boiten J *see* de Kruijk J *et al*
Book reviews Alexander E, Maciunas RJ. Advanced Neurosurgical Navigation, **559**
Aristidis Veves, *Editor.* Clinical Management of Diabetic Neuropathy, **558**
Berkovic SF, Genton P, Hirsch E, Picard F, *editors.* Genetics of Focal Epilepsies, **834**
Birch R, Bonney G, Wynn CB, *editors.* Surgical Disorders of the Peripheral Nerves, **260**
Bogdahn U, Becker G, Schlachetzki F, *editors.* Echoenhancers and Transcranial Color Duplex Sonography, **132**
Burns A, Lawler B, Craig S. Assessment Scales in Old Age Psychiatry, **699**
Cohadon F, *editor.* Advances and Technical Standards in Neurosurgery Vol 24, **700**
Edvinsson L, *editor.* Migraine and Headache Pathophysiology, **700**
Engler LG, Cole J, Merton W L, *editors.* Spinal Cord Diseases-Diagnosis and Treatment, **132**
Freeman TB, Widner H, *editors.* Cell transplantation for Neurological Disorders, **834**
Harms J, Tabasso G, *editors.* Instrumented Spinal Surgery. Principles and Technique, **260**
Kaplan P, *editor.* Neurologic Disease in Women, **133**
Markesbery WR, *editor.* Neuropathology of Dementing Disorders, **259**
Poser CM, editor. An Atlas of Multiple Sclerosis, **132**
Postacchini F. Lumbar Disc Herniation, **699**
Rawal N, *editor.* Management of Acute and Chronic Pain, **259**
Rengachary SR, Benzel EC, *editors.* Calvarial and Dural Reconstruction., **132**
Samuals MA, *editor.* Hospitalist Neurology. Blue Books of Practical Neurology, **700**
Shapiro RT. Symptom Management in Multiple Sclerosis, 3rd edition, **701**
Smith D. Neurology for the MRCP Part II, **132**
Smith PEM. Key Topics in Neurology, **559**
Staal A, van Gun J, Spaans F. Mononeuropathies: Examination, Diagnosis and Treatment, **833**

Vinken PJ, Bruyn GW. Systemic Diseases, Part II (Handbook of Clinical Neurology Series), **700**
Wessely S, Hotopf M, Sharpe M. Chronic Fatigue and its Syndromes, **699**
Bosch DA *see* de Bie RMA *et al*
Bösch S *see* Wenning GK *et al*
Bossolasco S *et al*. Human herpesvirus 6 in cerebrospinal fluid of patients infected with HIV: frequency and clinical significance, **789**
Bousson V *et al*. Intracranial dural fistula as a cause of diffuse MR enhancement of the cervical spinal cord, **227**
Bradshaw JL *see* Ho AK *et al*
Brakkenberg P *see* Morrish PK *et al*
Brannagan TH *et al*. Proximal diabetic neuropathy presenting with respiratory weakness, **539**
Braun B *see* Postert T *et al*
Brenneis C *see* Müller J *et al*
Bressman SB *see* Jarman PR *et al*
Breteler MMB *see* Harhangi BS *et al*
Brett F *see* Caird J *et al*
Broccolo F *see* Bossolasco S *et al*
Bronstein AM *see* Anastasopoulos D and Bronstein AM
Bronstein YL *see* Mendez MF and Bronstein YL
Bronzova J *see* Slooter AJC *et al*
Brooks DJ *see* Hu MTM *et al*
see Schrag A *et al*
Brown P *see* Bhatia K *et al*
see Tijssen MAJ *et al*
Brown TJ *see* Melzer M *et al*
Brunereau L *see* Bousson V *et al*
Buchdahl RM *see* Coren ME *et al*
Buck A *see* Ferrari R *et al*
see Wieser HG *et al*
Buonanno FS *see* Persaud R *et al*
Burton EA *et al*. Giant cell arteritis of the cervical radicular vessels presenting with diaphragmatic weakness, **223**
Buttner T *see* Postert T *et al*

Caird J *et al*. Calcium pyrophosphate dihydrate crystal deposition disease: a case of cervical myelopathy in an elderly woman, **547**
Caparros-Lefebvre D *et al*. Improvement of levodopa induced dyskinesias by thalamic deep brain stimulation is related to slight variation in electrode placement: possible involvement of the centre median and parafascicularis complex, **308**
Capellari S *see* Worrall BB *et al*
Capra R *see* Filippi M *et al*
Caputo D *see* Solari A *et al*
Caputo E *see* Schrag A *et al*
Carella F *see* Defazio G *et al*
Casey AT *see* Ashkan K and Casey AT
Casey ATH *see* Chalmers RM *et al*
Cassai E *see* Rotola A *et al*
Cassetta E *see* Jarman PR *et al*
Catarineu S *see* Cohen E *et al*
Catsman-Berrevoets CE *et al*. Tumour type and size are high risk factors for the syndrome of "cerebellar" mutism and subsequent dysarthria, **755**
Cavigelli A *see* Iseli E *et al*
Ceroni M *see* Versino M *et al*
Cervera C *see* Gamez J *et al*
Chalela J, Kattah J. Catatonia due to central pontine and extrapontine myelinolysis: case report: *letter*, **692**
Chalela J, Raps E. Single thalamic-subthalamic artery and bilateral thalamic infarcts, **119**
Chalmers RM *et al*. Familial hydrocephalus: *letter*, **410**
Chamberlain S *see* Webb S *et al*
Chapot R *see* Bousson V *et al*
Chatterjee S *see* Goulding JMR *et al*
Chau NVV *et al*. "Can't you use another vaccine"? postrabies vaccination encephalitis: *letter*, **555**
Chaudhuri KR *see* Hu MTM *et al*
see Wenning GK *et al*
Chauhan VS *see* Bhatia KP *et al*
Chemerinski E *see* Paradiso S *et al*
Chen S-S *see* Lan M-Y *et al*
Chiba S *et al*. Autosomal dominant muscle cramp syndrome in a Japanese family, **116**
Chihara K *see* Ishihara H *et al*
Chin S *see* Worrall BB *et al*
Cifani S *see* Solari A *et al*
Cinque P *see* Bossolasco S *et al*
Cioni M *see* Grosso S *et al*
Clark K *see* Sommer M *et al*
Claus D *see* Weidauer S *et al*
Claveria LE *see* Duarte J *et al*
Clough C *see* Hu MTM *et al*
Codina A *see* Gamez J *et al*
Codina M *see* Muñoz E *et al*
Cody FWJ *see* Khudados E *et al*
Cohen E *et al*. Repetitive transcranial magnetic stimulation in the treatment of chronic negative schizophrenia: a pilot study: *letter*, **129**
Cole M. When the left brain is not right the right brain may be left: report of personal experience of occipital hemianopia, **169**
Comi G *see* Filippi M *et al*
see Furlan R *et al*
Conti M *see* Sotgiu S *et al*
Convers P *see* Antoine J-C *et al*
Coplin WM *et al*. Bacterial meningitis associated with lumbar drains: a retrospective cohort study, **468**
Coren ME *et al*. Imaging and laboratory investigation in herpes simplex encephalitis, **243**
Cosi V *see* Versino M *et al*
Coto E *see* Alvarez R *et al*
Courvoisier S *see* Radziwill AJ and Courvoisier S
Coviello V *see* Defazio G *et al*
Cowan FM *see* Coren ME *et al*
Crooks J *see* Baguley IJ *et al*
Cross JJL *see* Iddon JL *et al*
Cummings JL *see* Aarsland D *et al*
Curt A *see* Iseli E *et al*
Czcervenka C *see* Northoff G *et al*
Czosnyka M *see* Iddon JL *et al*

Dahl H *see* Bossolasco S *et al*
Dalmau J. Carcinoma associated paraneoplastic peripheral neuropathy: *commentary*, **4**
Danos P *see* Northoff G *et al*
David KM *see* Hodgson DJ *et al*
Davie CA *et al*. Does the extent of axonal loss and demyelination from chronic lesions in multiple sclerosis correlate with the clinical subgroup?, **710**
Davies DR, Smith SE. Pupil abnormality in amyloidosis with autonomic neuropathy, **819**
Davies-Jones GAB *see* Hadjivassiliou M *et al*
Davis DH *see* Spuler A *et al*
Deane EM *see* Heard RNS *et al*
de Baets M *see* Verschuuren JJ *et al*
de Berardinis MT *see* Defazio G *et al*
de Bie RMA *et al*. Transient hiccups after posteroventral pallidotomy for Parkinson's disease: *letter*, **124**
Debilly B *see* Durif F *et al*
Defazio G *et al*. Risk factors for spread of primary adult onset blepharospasm: a multicentre investigation of the Italian Movement Disorders Study Group, **613**
Defebvre L *see* Dujardin K *et al*
Degg C *see* Lawden MC *et al*
Deguchi K, Mathias CJ. Continuous haemodynamic monitoring in an unusual case of swallow induced syncope, **220**
Deininger M *see* Strik H *et al*
de Kruijk J *et al*. Acute cauda equina syndrome caused by thrombosis of the inferior vena cava: *letter*, **827**
del Grosso N *see* Jarman PR *et al*
Delanty N *et al*. Secondary prevention after cerebral ischaemia of presumed arterial origin: is aspirin still the touchstone?: *correspondence*, **832**
Delgado-Escueta AV *see* Fong CY and Delgado-Escueta AV
Deluca J *see* Demaree HA *et al*
Demaree HA *et al*. Speed of information processing as a key deficit in multiple sclerosis: implications for rehabilitation, **661**
de Michele G *see* Hadjivassiliou M *et al*
Dennis MS *see* Mead GE *et al*
de Rosa G *see* Batocchi AP *et al*
Desai J, Swash M. Extrapyramidal involvement in amyotrophic lateral sclerosis: backward falls and retropulsion, **214**
Desina G *see* Furlan R *et al*
Destee A *see* Dujardin K *et al*
de Vries JA *see* Tulen JHM *et al*
Devuyst G, Bogousslavsky J. Recent progress in drug treatment for acute stroke: *editorial*, **420**
Diamond BJ *see* Demaree HA *et al*
Dichgans J *see* Strik H *et al*
Dietz V *see* Iseli E *et al*
di Luca D *see* Rotola A *et al*
Dipple HC. The use of olanzapine for movement disorder in Huntington's disease: a first case report: *letter*, **123**
di Stefano M *see* Monno L *et al*
Dittrich R *see* Droste DW *et al*
Doi M *see* Ishikawa K *et al*
Donaghy M *see* Logina I and Donaghy M
Donaghy M *et al*. Surgery for suspected neurogenic thoracic outlet syndromes: a follow up study, **602**
Dordain G *see* Durif F *et al*
Dorman PJ *see* Wardlaw JM *et al*
Dorosz SM *see* Mastaglia FL *et al*
Doudney K *see* Webb S *et al*
Droste DW *et al*. Prevalence and frequency of microembolic signals in 105 patients with extracranial carotid artery occlusive disease, **525**
Duarte J *et al*. Hypertrophy of multiple cranial nerves and spinal roots in chronic inflammatory demyelinating neuropathy, **685**
Duhamel A *see* Dujardin K *et al*
Dujardin K *et al*. Neuropsychological abnormalities in first degree relatives of patients with familial Parkinson's disease, **323**

Durif F *et al.* Acute and chronic effects of anteromedial globus pallidus stimulation in Parkinson's disease, **315**
Dutch X-ALD/AMN Study Group *see* van Geel BM *et al*
Dvorak J *see* Ferrari R *et al*

Ebersbach G *see* Müller J *et al*
Ebner A *see* Jokeit H and Ebner A
Eccles S *et al.* Psychological adjustment and self reported coping in stroke survivors with and without emotionalism: *letter*, **125**
Editor *see* Kennard *C and Editor*
Edmondston JE *see* Mastaglia FL *et al*
Egitto MG *see* Versino M *et al*
Eichhorn T *see* Schreiber W *et al*
Eke T *see* Lawden MC *et al*
Eliashiv DS *see* Kuo AA *et al*
Ellie E *see* Blanco P *et al*
Ellis CM *et al.* Use of human intravenous immunoglobulin in lower motor neuron syndromes, **15**
Engelskjøn T *see* Kloster R and Engelskjøn T
Eriksson S *see* Nordborg C *et al*
Erkinjuntti T *see* Pohjasvaara T *et al*
Esteban A, Prieto J. Unmasking of the trigemino-accessory reflex in accessory facial anastomosis, **379**
Eto Y *see* Sugama S *et al*
Evangelou N *et al.* Association of the APOE ε4 allele with disease activity in multiple sclerosis, **203**
Evoli A *see* Batocchi AP *et al*

Farinotti M *see* Solari A *et al*
Farrar JJ *see* Chau NVV *et al*
Faure I *see* Blanco P *et al*
Fayaz I *et al.* Optic nerve sheath meningioma , **408**
Fearnley J *see* McAuley JH *et al*
Felmingham KL *see* Baguley IJ *et al*
Feltin M-P *see* Caparros-Lefebvre D *et al*
Ferber S, Karnath H-O. Parietal and occipital lobe contributions to perception of straight ahead orientation, **572**
Ferrari R. Pain after whiplash: *correspondence*, **258**
Ferrari R *et al.* Relation between neuropsychological and neuroimaging findings in patients with late whiplash syndrome: *correspondence*, **831**
Fieschi C *see* Gasperini C *et al*
Filippi M *see* Furlan R *et al*
Filippi M *et al.* Interferon β treatment for multiple sclerosis has a graduated effect on MRI enhancing lesions according to their size and pathology, **386**
Filippini G *see* Solari A *et al*
Filla A *see* Hadjivassiliou M *et al*
Fitzek C *see* Fitzek S *et al*
Fitzek S *et al.* Blink reflex R2 changes and localisation of lesions in the lower brainstem (Wallenberg's syndrome): an electrophysiological and MRI study, **630**
Flood J *see* Melzer M *et al*
Fong CY, Delgado-Escueta AV. Ictal PET in temporal lobe epilepsy, **409**
Font M *see* Cohen E *et al*
Francis PT *see* Babic T *et al*
Franck G *see* Laureys S *et al*
Frankel HL *see* Savic G and Frankel HL
Fritz VU *see* Giovannoni G *et al*
Frontali M *see* Jarman PR *et al*
Fujihara K *see* Nakashima I *et al*
Fujiki N *see* Sudo K *et al*
Fujita T *see* Ishikawa K *et al*
Fukuhara N *see* Ozawa T *et al*
Fukuyama R *see* Shiga K *et al*
Funk T *see* Kupsch A *et al*
Furlan R *et al.* Peripheral levels of caspase-1 mRNA correlate with disease activity in patients with multiple sclerosis; a preliminary study, **785**
Fushiki S *see* Shiga K *et al*

Galardi G *see* Defazio G *et al*
Galgani S *see* Gasperini C *et al*
Gambassi G *et al.* Predictors of mortality in patients with Alzheimer's disease living in nursing homes, **59**
Gambetti P *see* Worrall BB *et al*
Gamero MA *see* Jung HH *et al*
Gamez J *et al.* Flail arm syndrome or Vulpian-Bernhart's form of amyotrophic lateral sclerosis: *correspondence*, **258**
Garcia-Moreno JM *see* Jung HH *et al*
Garcia-Ruiz P *see* Gentil M *et al*
Gartenschläger M *see* Weidauer S *et al*
Gascoyne-Binzi DM, Hawkey PM. False negative polymerase chain reaction on cerebrospinal fluid samples in tuberculous meningitis: *letter*, **250**
Gasperini C *see* Filippi M *et al*
Gasperini C *et al.* Interferon-β-1a in relapsing-remitting multiple sclerosis: effect on hypointense lesion volume on T1 weighted images, **579**
Gaudino EA *see* Demaree HA *et al*
Gentil M *et al.* Effect of stimulation of the subthalamic nucleus on oral control of patients with parkinsonism, **329**
Gentili F *see* Fayaz I *et al*
Geuze DPY *see* Catsman-Berrevoets CE *et al*
Ghezzi A *see* Solari A *et al*
Gholkar A *see* Barber R *et al*
Giovagnoli AR. Quality of life in patients with stable disease after surgery, radiotherapy, and chemotherapy for malignant brain tumour, **358**
Giovannoni G *et al.* Bradykinesia akinesia inco-ordination test (BRAIN TEST): an objective computerised assessment of upper limb motor function, **624**
Girlanda P *see* Defazio G *et al*
Giugni E *see* Gasperini C *et al*
Gläsker S *et al.* The impact of molecular genetic analysis of the *VHL* gene in patients with haemangioblastomas of the central nervous system, **758**
Goessens LFM *see* Visser PJ *et al*
Goldenberg G *et al.* Basal forebrain amnesia: does the nucleus accumbens contribute to human memory?, **163**
Gomez-Anson B *see* Thom M *et al*
Gotoda Y *see* Wakamatsu N *et al*
Goulding JMR *et al.* Inverse relation between Braak stage and cerebrovascular pathology in Alzheimer predominant dementia, **654**
Grady MS *see* Coplin WM *et al*
Grafman J *see* Sommer M *et al*
Graham NL *et al.* Dyspraxia in a patient with corticobasal degeneration: the role of visual and tactile inputs to action, **334**
Granata R *see* Wenning GK *et al*
Granieri E *see* Rotola A *et al*
Greggi S *see* Batocchi AP *et al*
Griffiths PD *see* Iddon JL *et al*
Grimaldi LME *see* Furlan R *et al*
Groeneveld WH *see* Tulen JHM *et al*
Grömminger O *see* Goldenberg G *et al*
Grosso S *et al.* Selective mutism, speech delay, dysmorphisms, and deletion of the short arm of chromosome 18: a distinct entity?: *letter*, **830**
Grote E *see* Strik H *et al*
Grunberg C *see* Dujardin K *et al*
Grunewald RA *see* Hadjivassiliou M *et al*
Guisasola LM *see* Alvarez R *et al*
Gurka JA *see* Baguley IJ *et al*
Gussekloo J *et al.* Thermolabile methylenetetrahydrofolate reductase gene and the risk of cognitive impairment in those over 85, **535**
Guy CN *see* Torre JLF *et al*
Guz A *see* Morrell MJ *et al*

Haaparanta M *see* Rinne JO *et al*
Haas LF. Armauer Gerhard Heinrik Hansen (1841-1912), **14**
Charles Louis Alphonse Laveran (1845-1922), **520**
Ivan Petrovich Pavlov (1849-1936), **299**
Neurological Advertisements on Stamps, **814**
Papyrus of Ebers and Smith, **578**
Sir William Osler (1849–1919), **137**
Hachisuka K *see* Tanaka H *et al*
Hadjivassiliou M *et al.* Idiopathic cerebellar ataxia associated with celiac disease: lack of distinctive neurological features: *correspondence*, **257**
Haga T *see* Shiozaki K *et al*
Haggiag S *see* Gasperini C *et al*
Haisa T *et al.* Post-carotid endarterectomy cerebral hyperperfusion leading to intracerebral haemorrhage, **546**
Hallett M *see* Sommer M *et al*
Halligan PW. Hemianopia and visual neglect: a question of balance?: *commentary*, **565**
Hallmayer J *see* Mastaglia FL *et al*
Hann AF. Resurgence of diphtheria in the newly independent states of the former Soviet Union: a reminder of risk: *commentary*, **426**
Hara M *see* Johkura K *et al*
Hara T *see* Haisa T *et al*
Harada K *see* Ishikawa K *et al*
Harding GFA *see* Lawden MC *et al*
Harhangi BS *et al.* N-acetyltransferase-2 polymorphism in Parkinson's disease: the Rotterdam study, **518**
Harkness W *see* Thom M *et al*
Hasegawa O *see* Wang L *et al*
Hatanaka Y *see* Chiba S *et al*
see Sonoo M *et al*
Hattori T *see* Kuwabara S *et al*
see Mori M *et al*
see Sakakibara R *et al*
see Sakakibara R *et al*
Haverkort EB *see* van Geel BM *et al*
Hawkey PM *see* Gascoyne-Binzi DM and Hawkey PM
Hawkins SA, McDonnell GV. Benign multiple sclerosis? Clinical course, long term follow up, and assessment of prognostic factors, **148**
Hawley CA *et al.* Use of the functional assessment measure (FIM+FAM) in head injury rehabilitation: a psychometric analysis, **749**

Hayasaka K *see* Shizuka M *et al*
Hayashi M *see* Wakamatsu N *et al*
see Yokota T *et al*
Heard RNS *et al.* Lack of restriction of T cell receptor β variable gene usage in cerebrospinal fluid lymphocytes in acute optic neuritis, **585**
Heijmans BT *see* Gussekloo J *et al*
Heilman KM *see* Kim M *et al*
Heimans JJ *see* Beenen LFM *et al*
Hellawell DJ *see* Hawley CA *et al*
Hely MA *et al.* The Sydney multicentre study of Parkinson's disease: progression and mortality at 10 years, **300**
Henderson B *see* Lewis BH
Henke K *see* Wieser HG *et al*
Hennerici M *see* Samman I *et al*
Herman ST *see* Worrall BB *et al*
Heutink P *see* Harhangi BS *et al*
Heywood P *see* Morrell MJ *et al*
Hien TT *see* Chau NVV *et al*
Higashi T *see* Sudo K *et al*
Hirata K *see* Odaka M *et al*
see Yuki N and Hirata K
Hirata M *see* Yasuno F *et al*
Ho AK *et al.* Regulation of parkinsonian speech volume: the effect of interlocuter distance, **199**
Hodges JR *see* Graham NL *et al*
Hodgson DJ *et al.* Intracranial extracerebral follicular lymphoma mimicking a sphenoid wing meningioma: *letter,* **251**
Hofman A *see* Harhangi BS *et al*
see Slooter AJC *et al*
Hofman PAM *see* Visser PJ *et al*
Holton JL *see* Hodgson DJ *et al*
Honnorat J *see* Antoine J-C *et al*
Hopf HC *see* Fitzek S *et al*
Horsfield MA *see* Filippi M *et al*
see Gasperini C *et al*
Hosseini H *see* Hosseini H *et al*
Hosseini H *et al.* Sarcoid related optochiasmatic arachnoiditis: favourable outcome confirmed with MRI, **690**
House A *see* Eccles S *et al*
Houser M *see* Bhatia KP *et al*
Hu M *see* Ellis CM *et al*
Hu MTM *et al.* Evidence for cortical dysfunction in clinically non-demented patients with Parkinson's disease: a proton MR spectroscopy study, **20**
Hunt GM *et al.* Link between the CSF shunt and achievement in adults with spina bifida, **591**
Hutchinson M *see* Bhatia KP *et al*
see Webb S *et al*
Hutchinson M, Raff U. Parkinson's disease: a novel MRI method for determining structural changes in the substantia nigra, **815**
Hwang D-F *see* Lan M-Y *et al*

Iansek R *see* Ho AK *et al*
Ichikawa K *see* Nagamitsu S *et al*
Iddon JL *et al.* Specific patterns of cognitive impairment in patients with idiopathic normal pressure hydrocephalus and Alzheimer's disease: a pilot study, **723**
Ikeda T *see* Shiozaki K *et al*
Ikeda Y *see* Shizuka M *et al*
Ikegami T *see* Shizuka M *et al*
Ikejiri Y *see* Yasuno F *et al*
Imai T *see* Chiba S *et al*
Inao S *see* Nagatani T *et al*
Ince P *see* Barber R *et al*
Inuzuka T *see* Ozawa T *et al*
Iseki E *see* Shiozaki K *et al*
Iseli E *et al.* Prognosis and recovery in ischaemic and traumatic spinal cord injury: clinical and electrophysiological evaluation, **567**
Ishibashi M *see* Nagamitsu S *et al*
Ishihara H *et al.* White muscle disease in humans: myopathy caused by selenium deficiency in anorexia nervosa under long term total parenteral nutrition: *letter,* **829**
Ishikawa K *et al.* Clinical, neuropathological, and molecular study in two families with spinocerebellar ataxia type 6 (SCA6), **86**
Itoh Y *see* Sodeyama N *et al*
Itoh K *see* Ishihara H *et al*
Itoyama Y *see* Nakashima I *et al*
Iwamoto H *see* Ishikawa K *et al*
Izquierdo G *see* Jung HH *et al*

Jackson M *see* Evangelou N *et al*
Jaksch M *see* Kiechl S *et al*
Jankovic J *et al.* Re-emergent tremor of Parkinson's disease, **646**
Janvin C *see* Aarsland D *et al*
Jaradeh SS *et al.* Progressive polyradiculoneuropathy in diabetes: correlation of variables and clinical outcome after immunotherapy, **607**
Jarman PR *et al.* Primary torsion dystonia: the search for genes is not over, **395**
Jellinger K *see* Wenning GK *et al*
Jergas M *see* Postert T *et al*
Joergstuerenburg H *et al.* Determinants of the copper concentration in cerebrospinal fluid: *letter,* **252**
Johkura K *et al.* Tetanus originating from a benign scalp tumour, **120**
Johnston IH *see* Kollar CD and Johnston IH
Jokeit H, Ebner A. Long term effects of refractory temporal lobe epilepsy on cognitive abilities: a cross sectional study, **44**
Jolles J *see* Visser PJ *et al*
Jolobe OMP. Secondary prevention after cerebral ischaemia of presumed arterial origin: is aspirin still the touchstone: *correspondence,* **832**
Jolobe OMP, Polkey MI. Respiratory aspects of neurological disease: *correspondence,* **256**
Jones EW *see* Thom M *et al*
Jones PA *see* Nissen JJ *et al*
Jorge R *see* Manes F *et al*
Juler J *see* Torre JLF *et al*
Jung HH *et al.* Spanish families with cavernous angiomas do not share the Hispano- American *CCM1 haplotype: letter,* **551**
Jurgens E *see* Töpper R *et al*

Kahl KG *et al.* Persisting rhinorrhoea and headache as the initial symptom of bilateral carotid artery dissection: *letter,* **828**
Kakulas BA *see* Mastaglia FL *et al*
Kamei S *et al.* Comparative study between chemiluminescence assay and two different sensitive polymerase chain reactions on the diagnosis of serial herpes simplex virus encephalitis, **596**
Kameyama K *see* Shiozaki K *et al*
Kamitani T *see* Wang L *et al*
Kanazawa I *see* Ishikawa K *et al*
Kanda F *see* Ishihara H *et al*
Kaplan PW *et al.* Vasomotor reactivity is exhausted in transient ischaemic attacks with limb shaking: *correspondence,* **131**
Karlsen K *see* Aarsland D *et al*
Karnath H-O *see* Ferber S and Karnath H-O
Kashiwagi M *see* Chiba S *et al*
Kaste M *see* Pohjasvaara T *et al*
Katayama Y *see* Sakatani K *et al*
Kato H *see* Nagamitsu S *et al*
Kattah J *see* Chalela J and Kattah J
Kawai H *see* Wakamatsu N *et al*
Kemény V *see* Droste DW *et al*
Kendall MJ *see* O'Mahony D and Kendall MJ
Kennard C, *Editor*. Giving something back to the authors: *editorial,* **419**
Keohane C *see* O'Suilleabhain CB *et al*
Kerry S *see* Hunt GM *et al*
Kett-White R *see* Thom M *et al*
Khalil N *see* Silber E *et al*
Khudados E *et al.* Proprioceptive regulation of voluntary ankle movements, demonstrated using muscle vibration, is impaired by Parkinson's disease, **504**
Kiechl S *et al.* Different clinical aspects of debrancher deficiency myopathy, **364**
Kiefer R *see* Stögbauer F *et al*
Kikuchi S *see* Sudo K *et al*
Kim DK *see* Coplin WM *et al*
Kim GM *see* Kim M *et al*
Kim M *et al.* Ipsilesional neglect: behavioural and anatomical features, **35**
Pupillographic findings in neglect, **82**
Kimura S *see* Shiga K *et al*
Klingmüller D *see* Kristof RA *et al*
Kloster R, Engelskjøn T. Sudden unexpected death in epilepsy (SUDEP): a clinical perspective and a search for risk factors, **439**
Knapp P *see* Eccles S *et al*
Kneen R *see* Chau NVV *et al*
see Chau NVV *et al*
Knook DL *see* Gussekloo J *et al*
Kobayashi K *see* Sonoo M *et al*
Koelman JHTM *see* van Geel BM *et al*
Koga M *see* Kuwabara S *et al*
see Mori M *et al*
Kohlendorfer U *see* Kiechl S *et al*
Kollar CD, Johnston IH. Pseudotumour after arteriovenous malformation embolisation: *letter,* **249**
Komatsuzaki Y *see* Ishikawa K *et al*
Komiyama M, Yamanaka K. Chronic misuse of paint thinners, **247**
Kondo H *see* Wakamatsu N *et al*
Kondo R *see* Wakamatsu N *et al*
Kondo T *see* Haisa T *et al*
Koroshetz WJ *see* Persaud R *et al*
Korten A *see* de Kruijk J *et al*
Kosaka K *see* Shiozaki K *et al*
Koudriavtseva T *see* Gasperini C *et al*
Koudstaal PJ *see* Delanty N *et al*
Krabbendam L *see* Visser PJ *et al*
Krause R *see* Northoff G *et al*
Kretzschmar HA *see* Samman I *et al*
Krieg J-C *see* Schreiber W *et al*

Kristof RA *et al.* Lymphocytic hypophysitis: non-invasive diagnosis and treatment by high dose methylprednisolone pulse therapy?, **398**
Kropf D *see* Northoff G *et al*
Kuhlenbäumer G *see* Stögbauer F *et al*
Kuhn W *see* Postert T *et al*
Kunze K *see* Joergstuerenburg H *et al*
Kuo AA *et al.* Electrical inexcitability of nerves and muscles in severe infantile spinal muscular atrophy: *letter,* **122**
Kupsch A *et al.* Neurostimulation of the ventral intermediate thalamic nucleus alleviates hereditary essential myoclonus: *letter,* **415**
Kuroiwa Y *see* Johkura K *et al*
see Wang L *et al*
Kuwabara S *see* Mori M *et al*
see Sakakibara R *et al*
Kuwabara S *et al.* Hyperreflexia in Guillain-Barré syndrome: relation with acute motor axonal neuropathy and anti-GM1 antibody, **180**

Labauge P *see* Jung HH *et al*
Laberge S *see* Jung HH *et al*
Lacey S *see* Melzer M *et al*
Lack B *see* Postert T *et al*
Lagaay AM *see* Gussekloo J *et al*
Lahoz CH *see* Alvarez R *et al*
Lai S-L *see* Lan M-Y *et al*
Laing NG *see* Mastaglia FL and Laing NG
see Mastaglia FL *et al*
Lammers GJ *see* Bloem BR *et al*
Lammie GA *see* Goulding JMR *et al*
Lan M-Y *et al.* Tetrodotoxin intoxication in a uraemic patient: *letter,* **127**
Landau WM *see* Nelson DA and Landau WM
Landi F *see* Gambassi G *et al*
Lantos P *see* Rossor MN *et al*
Lapane KL *see* Gambassi G *et al*
Larsen JP *see* Aarsland D *et al*
Latorre P *see* Muñoz E *et al*
Laurence A *see* McAuley JH *et al*
Laureys S *et al.* Cerebral metabolism during vegetative state and after recovery to consciousness: *letter,* **121**
Lawden MC *et al.* Visual field defects associated with vigabatrin therapy, **716**
Lawn ND *see* Coren ME *et al*
Lazzarin A *see* Bossolasco S *et al*
Le DA *see* Persaud R *et al*
Leary S *see* Ellis CM *et al*
Lee KH *see* Kim M *et al*
Lee SD *see* Heard RNS *et al*
Lees A *see* Tijssen MAJ *et al*
Lees AJ *see* Giovannoni G *et al*
see Schrag A *et al*
Leigh PN *see* Ellis CM *et al*
Lemaire C *see* Laureys S *et al*
Lemaire J-J *see* Durif F *et al*
Lemke SM *see* Nguyen TT *et al*
Leng B *see* Blanco P *et al*
Lequin MH *see* Catsman-Berrevoets CE *et al*
Leskelä M *see* Pohjasvaara T *et al*
Leube B *see* Jarman PR *et al*
Levett K *see* Bateman DE *et al*
Lewis BH. Invasive intracranial aspergillosis secondary to intranasal corticosteroids: *letter,* **416**
Lewis SC *see* Mead GE *et al*
see Wardlaw JM *et al*
Lichty W *see* Sakatani K *et al*
Liguori R *see* Defazio G *et al*
Lim NG *see* Aarsland D *et al*
Linde A *see* Bossolasco S *et al*
Lindeboom J *see* Beenen LFM *et al*
Litvan I *see* Wenning GK *et al*
Liu C, Blumhardt LD. Randomised, double blind, placebo controlled study of interferon β-1a in relapsing-remitting multiple sclerosis analysed by area under disability/time curves, **451**
Livrea P *see* Defazio G *et al*
see Monno L *et al*
Lobeck LJ *see* Jaradeh SS *et al*
Logina I, Donaghy M. Diphtheritic polyneuropathy: a clinical study and comparison with Guillain-Barré syndrome, **433**
Lomeña FJ *see* Cohen E *et al*
Lucas M *see* Jung HH *et al*
Lynch T *see* Worrall BB *et al*

McAuley JH *et al.* Diphtheritic polyneuropathy: *lesson of the month,* **825**
McCluskey LF *see* Brannagan TH *et al*
McDonald WI *see* Davie CA *et al*
see Polman CH *et al*
McDonald WI. Physicians, subsequence and consequence: *review,* **282**
McDonnell GV *see* Hawkins SA and McDonnell GV
McKeith I *see* Barber R *et al*
Mackenzie IR *see* Fayaz I *et al*
Maeda K *see* Yamamoto Y *et al*
Maekawa K *see* Sugama S *et al*
Majamaa K *see* Sajanti J and Majamaa K
Malmgren K *see* Nordborg C *et al*
Manes F *et al.* Verbal memory impairment after left insular cortex infarction, **532**
Mansfield A *see* Akinola A *et al*
Mantia LL *see* Solari A *et al*
Mäntylä R *see* Pohjasvaara T *et al*
Maquet P *see* Laureys S *et al*
Maraganore DM *see* Jarman PR *et al*
Marenzi R *see* Bossolasco S *et al*
Maréchal E *see* Jung HH *et al*
Marks CJ *see* O'Suilleabhain CB *et al*
Markus HS. Transcranial Doppler ultrasound: *editorial,* **135**
Marsden CD *see* Bateman DE *et al*
see Bhatia KP *et al*
see Rossor MN *et al*
see Schrag A *et al*
Martínez C *see* Alvarez R *et al*
Martinelli V *see* Filippi M *et al*
see Furlan R *et al*
Martinez AC *see* Duarte J *et al*
Martino G *see* Furlan R *et al*
Maruyama Y *see* Otsuka R *et al*
Marx J *see* Fitzek S *et al*
Masana J *see* Cohen E *et al*
Mastaglia FL, Laing NG. Distal myopathies: clinical and molecular diagnosis and classification: *editorial,* **703**
Mastaglia FL *et al.* Novel mutation in the myelin protein zero gene in a family with intermediate hereditary motor and sensory neuropathy, **174**
Mathias CJ *see* Akinola A *et al*
see Deguchi K and Mathias CJ
Mathias CJ. Can the early presence of autonomic dysfunction aid diagnosis in parkinsonism?: *commentary,* **566**
Matkovic Z *see* Donaghy M *et al*
Matsuishi T *see* Nagamitsu S *et al*
Matsumoto H *see* Chiba S *et al*
Matsumoto T *see* Wakamatsu N *et al*
Matsunaga T *see* Shiojiri T *et al*
Matsuoka R *see* Sugama S *et al*
Matsushita M *see* Sodeyama N *et al*
Matsushita T *see* Ishihara H *et al*
Matsuura M. Epileptic psychoses and anticonvulsant drug treatment, **231**
Matthews PM. Axonal loss and demyelation in multiple sclerosis: *commentary,* **708**
Mattingley JB. Right hemisphere contributions to attention and intention: *commentary,* **5**
Maurri S *see* Defazio G *et al*
Mayes AR. What basal forebrain lesions cause amnesia?: *editorial,* **140**
Mead GE *et al.* Should computed tomography appearance of lacunar stroke influence patient management?, **682**
Meissner W *see* Kupsch A *et al*
Melzer M *et al.* False negative polymerase chain reaction on cerebrospinal fluid samples in tuberculous meningitis established by culture: *letter,* **249**
Mendez MF, Bronstein YL. Crying spells as symptoms of a transient ischaemic attack: *letter,* **255**
Mendoza A *see* Duarte J *et al*
Mendozzi L *see* Solari A *et al*
Menes BB *see* Alvarez R *et al*
Menkes DL *et al.* Right frontal lobe slow frequency repetitive transcranial magnetic stimulation (SF r-TMS) is an effective treatment for depression: a case-control pilot study of safety and efficacy, **113**
Mercié P *see* Blanco P *et al*
Meyermann R *see* Strik H *et al*
Michel D *see* Antoine J-C *et al*
Miles K *see* Coren ME *et al*
Milà M *see* Muñoz E *et al*
Millefiorini E *see* Gasperini C *et al*
Miller DH *see* Davie CA *et al*
see Polman CH *et al*
Miller DH. Clinical and magnetic resonance imaging heterogeneity in multiple sclerosis: *editorial,* **139**
Miller JD *see* Nissen JJ *et al*
Miller RF *see* Miszkiel KA and Miller RF
Minami R *see* Chiba S *et al*
Minhas PS. Positron emission tomography cerebral blood flow before and after embolisation of a dural arteriovenous fistulous malformation, **823**
Miszkiel KA, Miller RF. MRI appearances of the facial nerve in an HIV infected patient with acute facial nerve palsy, **407**
Mitani K *see* Yokota T *et al*
Mitz KA *see* Brannagan TH *et al*
Mizobuchi K *see* Sakakibara R *et al*

Mizusawa H *see* Ishikawa K *et al*
see Orimo S *et al*
see Shiojiri T *et al*
see Sodeyama N *et al*
Mochizuki A *see* Sonoo M *et al*
Monno L *et al.* Reduced concentrations of HIV-RNA and TNF-α coexist in CSF of AIDS patients with progressive multifocal leukoencephalopathy, **369**
Montaner J, Álvarez-Sabín J. Opalski's syndrome, **688**
Moosavi SH *see* Morrell MJ *et al*
Mor V *see* Gambassi G *et al*
Moris G *see* Alvarez R *et al*
Morgese G *see* Grosso S *et al*
Mori E *see* Yamamoto Y *et al*
Mori M *see* Kuwabara S *et al*
Mori M *et al.* IgG anti-GQ1b positive acute ataxia without ophthalmoplegia, **668**
Morishima T *see* Kamei S *et al*
Moriwaka F *see* Sudo K *et al*
Morrell MJ *et al.* Unilateral focal lesions in the rostrolateral medulla influence chemosensitivity and breathing measured during wakefulness, sleep, and exercise, **637**
Morris HR *see* Tijssen MAJ *et al*
Morris JGL *see* Hely MA *et al*
Morris P *see* Donaghy M *et al*
Morris R *see* Goulding JMR *et al*
Morris RG *see* Hu MTM *et al*
Morrish PK *et al.* Leukoencephalopathy associated with khat misuse: *letter,* **556**
Mosconi P *see* Solari A *et al*
Moser HW. Treatment of X-linked adrenoleukodystrophy with Lorenzo's oil: *editorial,* **279**
Mosnier J-F *see* Antoine J-C *et al*
Mucchiut M *see* Defazio G *et al*
Mudry A. Neurological stamp: *Adam Politzer (1835–1920)* : *correspondence,* **833**
Mulder PGH *see* Catsman-Berrevoets CE *et al*
Muller J *et al.* Disturbances of dynamic balance in phasic cervical dystonia, **807**
Munchau A *see* Bhatia K *et al*
see Bhatia KP *et al*
Muñoz E *et al.* Dentatorubropallidoluysian atrophy in a Spanish family: a clinical, radiological, pathological, and genetic study, **811**
Muroi A *see* Nakahara T *et al*
Murray LS *see* Nissen JJ *et al*
Murray NMF *see* Silber E *et al*

Na DL *see* Kim M *et al*
Nafee A *see* Shah PA and Nafee A
Nagamitsu S *et al.* Decreased cerebellar blood flow in postinfectious acute cerebellar ataxia, **109**
Nagatani T *et al.* Perforating branches from offending arteries in hemifacial spasm: anatomical correlation with vertebrobasilar configuration, **73**
Nakade S *see* Orimo S *et al*
Nakagawa Y *see* Yasuno F *et al*
Nakahara T *et al.* Intravascular lymphomatosis presenting as an ascending cauda equina: conus medullaris syndrome: remission after biweekly CHOP therapy, **403**
Nakajima K *see* Shiga K *et al*
Nakamagoe K *see* Ishikawa K *et al*
Nakano R *see* Ozawa T *et al*
Nakashima I *et al.* Clinical and MRI study of brain stem and cerebellar involvement in Japanese patients with multiple sclerosis, **153**
Nakatani T *see* Sonoo M *et al*
Namihira T *see* Sugama S *et al*
Nashef L. From mystery to prevention: sudden unexpected death in epilepsy, time to move on: *commentary,* **427**
Natt E *see* Gläsker S *et al*
Naumann M *see* Kahl KG *et al*
Navarro V *see* Cohen E *et al*
Nelson DA, Landau WM. Jaws: diversities of gnathological history and temporomandibular joint enterprise: *review,* **141**
Neumann HPH *see* Gläsker S *et al*
Nguyen TT *et al.* Hydrocephalus caused by metastatic brain lesions: treatment by third ventriculostomy: *letter,* **552**
Nicholls JL *see* Baguley IJ *et al*
Nicolaides AN *see* Akinola A *et al*
Nicolaou N *see* Morrish PK *et al*
Nicoll JAR *see* Goulding JMR *et al*
Niino M *see* Sudo K *et al*
Nishida Y *see* Wakamatsu N *et al*
Nishikawa T *see* Yasuno F *et al*
Nishimi T *see* Nagamitsu S *et al*
Nishizawa N *see* Shiojiri T *et al*
Nissen JJ *et al.* Glasgow Head Injury Outcome Prediction Program: an independent assessment, **796**
Nordborg C *et al.* Microdysgenesis in surgical specimens from patients with epilepsy: occurrence and clinical correlations, **521**
Northoff G *et al.* Decreased density of GABA-A receptors in the left sensorimotor cortex in akinetic catatonia: investigation of in vivo benzodiazepine receptor binding, **445**
Nowak KJ *see* Mastaglia FL *et al*
Nygaard TG *see* Jarman PR *et al*

Oakeshott P *see* Hunt GM *et al*
Obermaier-Kusser B *see* Kiechl S *et al*
O'Boyle DJ *see* Khudados E *et al*
O'Brien CJ *see* Thom M *et al*
O'Brien J *see* Barber R *et al*
O'Brien M *see* Ellis CM *et al*
Odaka M *et al.* Bilateral ballism in a patient with overlapping Fisher's and Guillain-Barré syndromes, **206**
Oechsner M *see* Joergstuerenburg H *et al*
Ogata H *see* Tanaka H *et al*
Ogata M *see* Nakahara T *et al*
Ogata T *see* Ishikawa K *et al*
Ogawa M *see* Sakakibara R *et al*
Ogawara K *see* Kuwabara S *et al*
see Mori M *et al*
Okamoto K *see* Shizuka M *et al*
Okita N *see* Nakashima I *et al*
O'Mahony D, Kendall MJ. Nitric oxide in acute ischaemic stroke: a target for neuroprotection: *editorial,* **1**
Ondo W *see* Jankovic J *et al*
Oniki T *see* Yokota T *et al*
Oostra BA *see* Harhangi BS *et al*
Oppenheimer SM. Homeostatic effects of carotid stenosis: *commentary,* **425**
Orimo S *et al.* ^{123}I-metaiodobenzylguanidine myocardial scintigraphy in Parkinson's disease, **189**
Osame M *see* Otsuka R *et al*
O'Shea MF *et al.* Behavioural status during the intracarotid amobarbital procedure (Wada test): relevance for surgical management: *letter,* **549**
O'Suilleabhain CB *et al.* Solitary intracranial myofibroma in a child: *letter,* **253**
O'Sullivan DJ *see* Hely MA *et al*
O'Sullivan MJ *see* O'Suilleabhain CB *et al*
Otomo E *see* Sodeyama N *et al*
Otsuka R *et al.* Necrotising vasculitis with conduction block in mononeuropathy multiplex with cold agglutinins: *letter,* **556**
Otto H *see* Northoff G *et al*
Ozawa E *see* Orimo S *et al*
Ozawa T *et al.* Nocturnal decrease in vasopressin secretion into plasma in patients with multiple system atrophy, **542**

Palace J *see* Evangelou N *et al*
Palmer AM *see* Babic T *et al*
Paolillo A *see* Gasperini C *et al*
Paquier PF *see* Catsman-Berrevoets CE *et al*
Paradiso S *et al.* Frontal lobe syndrome reassessed: comparison of patients with lateral or medial frontal brain damage, **664**
Parchi P *see* Worrall BB *et al*
Parisi JE *see* Spuler A *et al*
Passchier J *see* Tulen JHM *et al*
Patterson K *see* Graham NL *et al*
Payan J *see* Ellis CM *et al*
Pearce JMS A note on the use of botulinum toxin, **230**
Bell's or Friedreich's palsy, **732**
The fissure of Ronaldo, **528**
Some contributions of Duchenne de Boulogne (1806–75), **322**
Pellecchia MT *see* Hadjivassiliou M *et al*
Pellegrin J-L *see* Blanco P *et al*
Pelliccioni G *et al.* Procainamide for faecal incontinence in myotonic dystrophy: *correspondence,* **257**
Peña J *see* Alvarez R *et al*
Pentland B *see* Hawley CA *et al*
Perquin M *see* Verschuuren JJ *et al*
Perry R *see* Barber R *et al*
Persaud R *et al.* Sensory alien hand syndrome: *correspondence,* **130**
Pezzella F *see* Hodgson DJ *et al*
Phillips BA *see* Mastaglia FL *et al*
Phillips C *see* Laureys S *et al*
Pickard JD *see* Iddon JL *et al*
Piloni V *see* Pelliccioni G *et al*
Poewe W *see* Müller J *et al*
see Wenning GK *et al*
Poewe W. The Sydney multicentre study of Parkinson's disease: *editorial,* **280**
Pohjasvaara T *et al.* Clinical and radiological determinants of prestroke cognitive decline in a stroke cohort, **742**
Poliani PL *see* Furlan R *et al*
Polkey CE *see* Torre JLF *et al*
Polkey MI *see* Jolobe OMP and Polkey MI
Pollak P *see* Caparros-Lefebvre D *et al*
see Gentil M *et al*
Polman CH *et al.* Treatment recommendations for interferon-β in multiple sclerosis: *editorial,* **561**
Pook M *see* Webb S *et al*

Postert T *et al.* Basal ganglia alterations and brain atrophy in Huntington's disease depicted by transcranial real time sonography, **457**
Powell M *see* Hodgson DJ *et al*
Pozzilli C *see* Filippi M *et al*
see Gasperini C *et al*
Prandini F *see* Filippi M *et al*
Price BH *see* Persaud R *et al*
Prieto J *see* Esteban A and Prieto J
Prieto TE *see* Jaradeh SS *et al*
Promisloff RA *see* Brannagan TH *et al*
Przuntek H *see* Postert T *et al*
Pucci L *see* Grosso S *et al*
Pugliatti M *see* Sotgiu S *et al*
Pulst S-M *see* Kuo AA *et al*

Quinn NP *see* Schrag A *et al*

Radanov BP *see* Ferrari R *et al*
Radziwill AJ, Courvoisier S. Severe necrotising cutaneous lesions complicating treatment with interferon β-1a, **115**
Raff U *see* Hutchinson M and Raff U
Raj RVKD *see* Chalmers RM *et al*
Raps E *see* Chalela J and Raps E
Reid WGJ *see* Hely MA *et al*
Reilly M *see* Silber E *et al*
Reul J *see* Töpper R *et al*
Revesz T *see* Thom M *et al*
Ribacoba R *see* Alvarez R *et al*
Riches PG *see* Coren ME *et al*
Ringelstein EB *see* Droste DW *et al*
see Stögbauer F *et al*
Rinne JO *et al.* Usefulness of a dopamine transporter PET ligand [^{18}F]β-CFT in assessing disability in Parkinson's disease, **737**
Roberts G *see* Caird J *et al*
Robinson RG *see* Manes F *et al*
see Paradiso S *et al*
Rocca MA *see* Furlan R *et al*
Rodriguez F *see* Duarte J *et al*
Rodziewicz GS *see* Nguyen TT *et al*
Rosati G *see* Sotgiu S *et al*
Rossor MN *et al.* Progressive frontal gait disturbance with atypical Alzheimer's disease and corticobasal degeneration, **345**
Rotola A *et al.* Human herpesvirus 6 is latent in peripheral blood of patients with relapsing-remitting multiple sclerosis, **529**
Rottach KG *see* Wohlgemuth WA *et al*
Rovaris M *see* Filippi M *et al*
Ruottinen H *see* Rinne JO *et al*
Rydenhag B *see* Nordborg C *et al*
Ryder D *see* O'Suilleabhain CB *et al*

Saeki N *et al.* Isolated infarction in the territory of lateral posterior choroidal arteries: *letter,* **413**
SAGE Study Group *see* Gambassi G *et al*
Sahakian BJ *see* Iddon JL *et al*
Saito T *see* Nakahara T *et al*
Saito Y *see* Yokota T *et al*
Saitoh M *see* Chiba S *et al*
Sajanti J, Majamaa K. Detection of meningeal fibrosis after subarachnoid haemorrhage by assaying procollagen propeptides in cerebrospinal fluid, **185**
Sakakibara R *et al.* Axonal polyneuropathy and encephalopathy in a patient with verotoxin producing *Escherichia coli* (VTEC) infection: *letter,* **254**
Urinary function in elderly people with and without leukoaraiosis: relation to cognitive and gait function, **658**
Sakatani K *et al.* Changes in cerebral blood oxygenation of the frontal lobe induced by direct electrical stimulation of thalamus and globus pallidus: a near infrared spectroscopy study, **769**
Neuronal activity alters local blood flow in brain tumour adjacent to the activating cortex: *letter,* **553**
Salas-Puig J *see* Alvarez R *et al*
Salerno G *see* Batocchi AP *et al*
Saling MM *see* O'Shea MF *et al*
Salmaggi A *see* Solari A *et al*
Salonen O *see* Pohjasvaara T *et al*
Samman I *et al.* Clinical range and MRI in Creutzfeldt-Jakob disease with heterozygosity at codon 129 and prion protein type 2, **678**
Samuel M *see* Schrag A *et al*
Sánchez A *see* Muñoz E *et al*
Sánchez JM *see* Alvarez R *et al*
Sandercock PAG *see* Wardlaw JM *et al*
Santoro L *see* Defazio G *et al*
Sasaki H *see* Shiojiri T *et al*
Sato M *see* Ozawa T *et al*
Satoh A *see* Ishikawa K *et al*
Savic G, Frankel HL. Prognosis and recovery in ischaemic and traumatic spinal cord injury: *commentary,* **564**
Sawada M *see* Sonoo M *et al*
Scala R *see* Hadjivassiliou M *et al*
Scambia G *see* Batocchi AP *et al*
Scaravilli F *see* Thom M *et al*
Scaravilli T *see* Schrag A *et al*
Scarpino O *see* Pelliccioni G *et al*
Scheltens P *see* Barber R *et al*
Scheremet R *see* Gläsker S *et al*
Scherfler C *see* Wenning GK *et al*
Schoser BGH *see* Stuerenburg HJ and Schoser BGH
Schrag A *et al.* Unilateral pallidotomy for Parkinson's disease: results after more than 1 year, **511**
Schramm J *see* Kristof RA *et al*
Schreiber W *et al.* Reversal of tetrabenazine induced depression by selective noradrenaline (norepinephrine) reuptake inhibition: *letter,* **550**
Schröder JM *see* Stögbauer F *et al*
Schroeder S *see* Joergstuerenburg H *et al*
Schulte-Altedorneburg G *see* Droste DW *et al*
Schulz-Schaeffer WJ *see* Samman I *et al*
Schuri U *see* Goldenberg G *et al*
Schuurman PR *see* de Bie RMA *et al*
Schwartz KS *see* Jankovic J *et al*
Schwartz RL *see* Kim M *et al*
Sechi G *see* Sotgiu S *et al*
Sellar R *see* Chau NVV *et al*
Sempere AP *see* Duarte J *et al*
Seoane JJG *see* Torre JLF *et al*
Sgadari A *see* Gambassi G *et al*
Shah PA, Nafee A. Migraine aura masquerading as Balint's syndrome: *letter,* **554**
Shakir RA *see* Silber E *et al*
Shapira AHV *see* Bhatia KP *et al*
Shaw C *see* Ellis CM *et al*
Shiga K *et al.* Mutation of the sterol 27-hydroxylase gene (*CYP27*) results in truncation of mRNA expressed in leucocytes in a Japanese family with cerebrotendinous xanthomatosis, **675**
Shimazaki K *see* Saeki N *et al*
Shimizu T *see* Sonoo M *et al*
Shimpo T *see* Haisa T *et al*
Shinozaki K *see* Yasuno F *et al*
Shiojiri T *et al.* Vocal cord abductor paralysis in spinocerebellar ataxia type 1: *letter,* **695**
Shiozaki K *et al.* Alterations of muscarinic acetylcholine receptor subtypes in diffuse Lewy body disease: relation to Alzheimer's disease, **209**
Shizuka M *et al.* A novel mutation of the myelin P_0 gene segregating Charcot-Marie-Tooth disease type 1B manifesting as trigeminal nerve thickening: *letter,* **250**
Shoji M *see* Shizuka M *et al*
Shoji S *see* Ishikawa K *et al*
Signorini DF *see* Goulding JMR *et al*
see Nissen JJ *et al*
Silber E *et al.* Brachial plexopathy related to alcohol intoxication: *letter,* **411**
Silver NC *see* Davie CA *et al*
Silverman IE. Paraneoplastic stiff limb syndrome: *letter,* **126**
Simonetti F *see* Versino M *et al*
Skladal D *see* Kiechl S *et al*
Slagboom PE *see* Gussekloo J *et al*
Slooter AJC *et al.* Estrogen use and early onset Alzheimer's disease: a population-based study, **779**
Smith MV *see* Nguyen TT *et al*
Smith PEM *see* Morrish PK *et al*
Smith SE *see* Davies DR and Smith SE
Snape M *see* Babic T *et al*
Snoek FJ *see* Beenen LFM *et al*
Sodeyama N *et al.* Association between butyrylcholinesterase K variant and the Alzheimer type neuropathological changes in apolipoprotein E ε4 carriers older than 75 years: *letter,* **693**
Solari A *et al.* Validation of Italian multiple sclerosis quality of life 54 questionnaire, **158**
Solin O *see* Rinne JO *et al*
Soma Y *see* Ozawa T *et al*
Sommer A *see* Samman I *et al*
Sommer M *et al.* Learning in Parkinson's disease: eyeblink conditioning, declarative learning, and procedural learning, **27**
Sonninen P *see* Rinne JO *et al*
Sonoo M *et al.* N18 in median somatosensory evoked potentials: a new indicator of medullary function useful for the diagnosis of brain death, **374**
Sormani MP *see* Filippi M *et al*
Sotgiu S *et al.* Chronic misuse of paint thinners, **247**
Speckter H *see* Fitzek S *et al*
Speelman JD *see* de Bie RMA *et al*
Sprengelmeyer R *see* Postert T *et al*
Springer J *see* Manes F *et al*
Springer W *see* Kristof RA *et al*
Spuler A *et al.* Herpes simplex encephalitis after brain surgery: case report and review of the literature, **239**
Steinke R *see* Northoff G *et al*
Stell R *see* Mastaglia FL *et al*
Stevens J *see* Morrell MJ *et al*
see Thom M *et al*
Stewart GJ *see* Heard RNS *et al*

Stewart J *see* Goulding JMR *et al*
Stoehr M *see* Wohlgemuth WA *et al*
Stoeter P *see* Fitzek S *et al*
Stögbauer F *et al.* Autosomal dominant burning feet syndrome, **78**
Streffer J *see* Strik H *et al*
Strik H *et al.* BCL-2 Family protein expression in initial and recurrent glioblastomas: modulation by radiochemotherapy, **763**
Stuerenburg HJ, Schoser BGH. Acute overdosage and intoxication with carbidopa/levodopa can be detected in the subacute stage by measurement of 3-o-methyldopa: *letter,* **122**
Sudo K *et al.* Focal (segmental) dyshidrosis in syringomyelia, **106**
Suematsu N *see* Sodeyama N *et al*
Sugama S *et al.* Psychiatric inpatients and chromosome deletions within 22q11.2, **803**
Sugimoto T *see* Orimo S *et al*
Sugita Y *see* Yasuno F *et al*
Sugiura Y *see* Nakahara T *et al*
Sugiyama Y *see* Nakahara T *et al*
Suzuki S *see* Sakatani K *et al*
Suzuki Y *see* Nagatani T *et al*
see Wang L *et al*
Swash M *see* Desai J and Swash M
Swenson MR *see* Menkes DL *et al*

Taira N *see* Sugama S *et al*
Takahashi T *see* Wang L *et al*
Takamoto K *see* Shiojiri T *et al*
Takase S *see* Nakashima I *et al*
Takasu T *see* Kamei S *et al*
Takeda M *see* Yasuno F *et al*
Takimoto H *see* Yasuno F *et al*
Tambasco N *see* Defazio G *et al*
Tanabe H *see* Yasuno F *et al*
Tanaka H *see* Ozawa T *et al*
Tanaka H *et al.* Sound lateralisation in patients with left or right cerebral hemispheric lesions: relation with unilateral visuospatial neglect, **481**
Tandberg E *see* Aarsland D *et al*
Taniguchi M *see* Yasuno F *et al*
Tartaro A *see* Paradiso S *et al*
Tashiro K *see* Shiojiri T *et al*
see Sudo K *et al*
Taub E *see* Wieser HG *et al*
Taylor R *see* Hawley CA *et al*
Taylor-Robinson SD *see* Hu MTM *et al*
Teasdale GM *see* Nissen JJ *et al*
Tegos T *see* Akinola A *et al*
Terreni MR *see* Bossolasco S *et al*
Tetsuka T *see* Kamei S *et al*
Teutsch SM *see* Heard RNS *et al*
Thaler C *see* Kiechl S *et al*
Thom M *et al.* Spontaneous intralesional haemorrhage in dysembryoplastic neuroepithelial tumours: a series of five cases, **97**
Thomas D *see* Akinola A *et al*
Thomas DGT *see* Schrag A *et al*
Thomas PK. Diabetic neuropathy: mechanisms and future treatment options: *editorial,* **277**
Thömke F *see* Fitzek S *et al*
Thompson AJ *see* Davie CA *et al*
see Polman CH *et al*
Thompson AJ. Benign multiple sclerosis: *editorial,* **138**
Thompson EJ *see* Coren ME *et al*
Thompson PD *see* Bhatia KP *et al*
see Rossor MN *et al*
Thron A *see* Töpper R *et al*
Tijssen MAJ *et al.* Late onset startle induced tics, **782**
Timmerman V *see* Stögbauer F *et al*
Tofts PS *see* Davie CA *et al*
Tola MR *see* Rotola A *et al*
Tolosa E *see* Muñoz E *et al*
Tonali P *see* Batocchi AP *et al*
see Batocchi AP *et al*
Töpper R *et al.* Clinical significance of intracranial developmental venous anomalies, **234**
Torre JLF *et al.* Generation of scalp discharges in temporal lobe epilepsy as suggested by intraoperative electrocorticographic recordings, **51**
Tourbah A *see* Hosseini H *et al*
see Hosseini H *et al*
Tournier-Lasserve E *see* Jung HH *et al*
Touw DJ *see* Beenen LFM *et al*
Toyka KV *see* Kahl KG *et al*
Traficante R *see* Hely MA *et al*
Trenité DGAK-N *see* Beenen LFM *et al*
Trottenberg T *see* Kupsch A *et al*
Troyer M *see* Schrag A *et al*
Tsai-Shozawa Y *see* Sonoo M *et al*
Tsuji S *see* Ozawa T *et al*
see Sudo K *et al*
see Wakamatsu N *et al*
Tsunemi T *see* Shiojiri T *et al*

Tuinier S *see* Visser PJ *et al*
Tulen JHM *et al.* Quantitative study of spontaneous eye blinks and eye tics in Gilles de la Tourette's syndrome, **800**
Turjanski N *see* Hu MTM *et al*
Twijnstra A *see* Verschuuren JJ *et al*
Tyrrell PJ *see* Rossor MN *et al*

Uchiyama H *see* Shiozaki K *et al*
Uchiyama T *see* Sakakibara R *et al*
Uitti RJ *see* Jarman PR *et al*
Ulrich S *see* Northoff G *et al*
Umehara F *see* Otsuka R *et al*
Urban PP *see* Fitzek S *et al*
Uría D *see* Alvarez R *et al*
Uvebrant P *see* Nordborg C *et al*

Vago L *see* Bossolasco S *et al*
Vahedi K *see* Bousson V *et al*
Valente EM *see* Jarman PR *et al*
Valenti P *see* Sotgiu S *et al*
Valls-Solé J *see* Cohen E *et al*
van Alphen HAM *see* Beenen LFM *et al*
van Breda Vriesman P *see* Verschuuren JJ *et al*
van Broeckhoven C *see* Slooter AJC *et al*
see Stögbauer F *et al*
van Buchem MA *see* Bloem BR *et al*
van den Berg LH *see* Wokke JHJ and van den Berg LH
van den Berg YWMM *see* Visser PJ *et al*
van der Werf YD *see* Visser PJ *et al*
van de Wetering BJM *see* Tulen JHM *et al*
van Dongen HR *see* Catsman-Berrevoets CE *et al*
van Duijn CM *see* Harhangi BS *et al*
see Slooter AJC *et al*
van Geel BM *et al.* Progression of abnormalities in adrenomyeloneuropathy and neurologically asymptomatic X-linked adrenoleukodystrophy despite treatment with "Lorenzo's oil", **290**
van Gijn J *see* Delanty N *et al*
van Roost D *see* Kristof RA *et al*
van Schalkwyk J *see* Giovannoni G *et al*
van Velthoven V *see* Gläsker S *et al*
Velde GT *see* Verschuuren JJ *et al*
Verbeeten Jr B *see* van Geel BM *et al*
Verhey FRJ *see* Visser PJ *et al*
Verhoeven WMA *see* Visser PJ *et al*
Verny M *see* Wenning GK *et al*
Verschuuren JJ *et al.* Anti-Hu antibody titre and brain metastases before and after treatment for small cell lung cancer, **353**
Versino M *et al.* Lateral gaze synkinesis on downward saccade attempts with paramedian thalamic and midbrain infarct: *letter,* **696**
Viallard J-F *see* Blanco P *et al*
Vidal JA *see* Alvarez R *et al*
Visser PJ *et al.* Brain correlates of memory dysfunction in alcoholic Korsakoff's syndrome, **774**
von Schulthess GK *see* Ferrari R *et al*

Waddy HM *see* Jarman PR *et al*
Wade LD *see* Baguley IJ *et al*
Wakamatsu N *et al.* Mutations producing premature termination of translation and an amino acid substitution in the sterol 27-hydroxylase gene cause cerebrotendinous xanthomatosis associated with parkinsonism, **195**
Wanders RJA *see* van Geel BM *et al*
Wang J-F *see* Stögbauer F *et al*
Wang L *et al.* Effect of interstimulus interval on visual P300 in Parkinson's disease, **497**
Wang Y *see* Sakatani K *et al*
Wardlaw JM *see* Mead GE *et al*
Wardlaw JM *et al.* Can stroke physicians and neuroradiologists identify signs of early cerebral infarction on CT?, **651**
Warlow CP *see* Al-Shahi R and Warlow CP
see Mead GE *et al*
Warmuth-Metz M *see* Kahl KG *et al*
Warrington EK *see* Rossor MN *et al*
Watanabe M *see* Ishikawa K *et al*
see Shizuka M *et al*
Watanabe Y *see* Shiozaki K *et al*
Webb S *et al.* A family with pseudodominant Friedreich's ataxia showing marked variation of phenotype between affected siblings, **217**
Weidauer S *et al.* Spinal sulcal artery syndrome due to spontaneous bilateral vertebral artery dissection: *letter,* **550**
Weis J *see* Stögbauer F *et al*
Weller M *see* Strik H *et al*
Wenning GK *et al.* Time course of symptomatic orthostatic hypotension and urinary incontinence in patients with postmortem confirmed parkinsonian syndromes: a clinicopathological study, **620**
Westendorp RGJ *see* Gussekloo J *et al*
Wester A *see* Visser PJ *et al*
Wickboldt J *see* Strik H *et al*

Wieser HG *et al.* Activation of the left motor cortex during left leg movements after right central resection, **487**
Wijdicks EFM *see* Coren ME *et al*
Wilcock GK *see* Babic T *et al*
Wild JM *see* Lawden MC *et al*
Willeit J *see* Kiechl S *et al*
Williamson PM *see* Hely MA *et al*
Wilmink J *see* de Kruijk J *et al*
Wilton SD *see* Mastaglia FL *et al*
Winer JB *see* Burton EA *et al*
Winn HR *see* Coplin WM *et al*
Wissel J *see* Müller J *et al*
Witteman JCM *see* Slooter AJC *et al*
Wohlgemuth WA *et al.* Intermittent claudication due to ischaemia of the lumbosacral plexus, **793**
Wöhrle JC *see* Samman I *et al*
Wokke JHJ, van den Berg LH. New hope for patients with pure lower motor neuron syndromes: *commentary,* **6**
Wolfe J *see* Akinola A *et al*
Wood NW *see* Chalmers RM *et al*
see Jarman PR *et al*
Worrall BB *et al.* Type 1 protease resistant prion protein and valine homozygosity at codon 129 of *PRNP* identify a subtype of sporadic Creutzfeldt-Jakob disease, **671**

Yabe I *see* Shiojiri T *et al*
Yabu K *see* Sakatani K *et al*
Yamada M *see* Sodeyama N *et al*
Yamamoto T *see* Nakahara T *et al*
see Sakatani K *et al*
see Shiozaki K *et al*
Yamamoto Y *et al.* Failure to confirm a synergistic effect between the K-variant of the butyrylcholinesterase gene and the ε4 allele of the apolipoprotein gene in Japanese patients with Alzheimer's disease, **94**
Yamanaka K *see* Komiyama M and Yamanaka K
Yamanishi K *see* Nagamitsu S *et al*
Yamanishi T *see* Sakakibara R *et al*
Yamashita Y *see* Nagamitsu S *et al*
Yamaura A *see* Saeki N *et al*
Yasuda M *see* Yamamoto Y *et al*
Yasuno F *et al.* Retrograde temporal order amnesia resulting from damage to the fornix, **102**
Yazici KM *see* Paradiso S *et al*
Yokota T *see* Shiojiri T *et al*
Yokota T *et al.* Continuous drop type of orthostatic hypotension: *letter,* **255**
Yonekawa Y *see* Wieser HG *et al*
Yoshida J *see* Nagatani T *et al*
Yoshihara T *see* Kamei S *et al*
Yoshimura N *see* Ozawa T *et al*
Yoshizawa K *see* Ishikawa K *et al*
Yoshizawa T *see* Ishikawa K *et al*
Young AW *see* Graham NL *et al*
Young P *see* Stögbauer F *et al*
Young S *see* Caird J *et al*
Younge BR *see* Coren ME *et al*
Yuki N *see* Kuwabara S *et al*
see Mori M *et al*
see Odaka M *et al*
Yuki N, Hirata K. Relation between critical illness polyneuropathy and axonal Guillain-Barré syndrome: *letter,* **128**

Zakzanis KK. Ideomotor prosodic apraxia: *letter,* **694**
Zeman A *see* Graham NL *et al*
Zentner J *see* Gläsker S *et al*
Zimatore GB *see* Monno L *et al*
Zumsteg D *see* Wieser HG *et al*
Zuo H *see* Sakatani K *et al*

VOLUME 67 • SUBJECT INDEX

^{123}I-IMP SPECT, Decreased cerebellar blood flow in postinfectious acute cerebellar ataxia, **109**

^{123}I-metaiodobenzylguanidine myocardial scintigraphy, ^{123}I-metaiodobenzylguanidine myocardial scintigraphy in Parkinson's disease, **189**

155, Christmas tree sign, **824**

^{1}H magnetic resonance spectroscopy, Does the extent of axonal loss and demyelination from chronic lesions in multiple sclerosis correlate with the clinical subgroup?, **710**

accessory facial nerve anastomosis, Unmasking of the trigemino-accessory reflex in accessory facial anastomosis, **379**

achievement, Link between the CSF shunt and achievement in adults with spina bifida, **591**

acute cerebellar ataxia, Decreased cerebellar blood flow in postinfectious acute cerebellar ataxia, **109**

acute motor axonal neuropathy, Hyperreflexia in Guillain-Barré syndrome: relation with acute motor axonal neuropathy and anti-GM1 antibody, **180**

Adam Politzer (1835–1920), Neurological stamp: *Adam Politzer (1835–1920) : correspondence,* **833**

adrenomyeloneuropathy, Progression of abnormalities in adrenomyeloneuropathy and neurologically asymptomatic X-linked adrenoleukodystrophy despite treatment with "Lorenzo's oil", **290**

adults with spina bifida, Link between the CSF shunt and achievement in adults with spina bifida, **591**

adverse events, Unilateral pallidotomy for Parkinson's disease: results after more than 1 year, **511**

alcohol, Brachial plexopathy related to alcohol intoxication: *letter,* **411**

alcoholism, Brain correlates of memory dysfunction in alcoholic Korsakoff's syndrome, **774**

alien hand syndrome, Sensory alien hand syndrome: *correspondence,* **130**

Alzheimer's disease, Angiotensin converting enzyme and endothelial nitric oxide synthase DNA polymorphisms and late onset Alzheimer's disease, **733**

Association between butyrylcholinesterase K variant and the Alzheimer type neuropathological changes in apolipoprotein E ε4 carriers older than 75 years: *letter,* **693**

Estrogen use and early onset Alzheimer's disease: a population-based study, **779**

Failure to confirm a synergistic effect between the K-variant of the butyrylcholinesterase gene and the ε4 allele of the apolipoprotein gene in Japanese patients with Alzheimer's disease, **94**

Ideomotor prosodic apraxia: *letter,* **694**

Inverse relation between Braak stage and cerebrovascular pathology in Alzheimer predominant dementia, **654**

Predictors of mortality in patients with Alzheimer's disease living in nursing homes, **59**

Progressive frontal gait disturbance with atypical Alzheimer's disease and corticobasal degeneration, **345**

The cholinergic hypothesis of Alzheimer's disease: a review of progress: *correspondence,* **558**

amnesia, Basal forebrain amnesia: does the nucleus accumbens contribute to human memory?, **163**

Retrograde temporal order amnesia resulting from damage to the fornix, **102**

What basal forebrain lesions cause amnesia?: *editorial,* **140**

amobarbital procedure, Behavioural status during the intracarotid amobarbital procedure (Wada test): relevance for surgical management: *letter,* **549**

amyloid, Type 1 protease resistant prion protein and valine homozygosity at codon 129 of *PRNP* identify a subtype of sporadic Creutzfeldt-Jakob disease, **671**

amyloidosis, Pupil abnormality in amyloidosis with autonomic neuropathy, **819**

amyotrophic lateral sclerosis, Extrapyramidal involvement in amyotrophic lateral sclerosis: backward falls and retropulsion, **214**

angiotensin converting enzyme, Angiotensin converting enzyme and endothelial nitric oxide synthase DNA polymorphisms and late onset Alzheimer's disease, **733**

angiotropic large cell lymphoma, Intravascular lymphomatosis presenting as an ascending cauda equina: conus medullaris syndrome: remission after biweekly CHOP therapy, **403**

anorexia nervosa, White muscle disease in humans: myopathy caused by selenium deficiency in anorexia nervosa under long term total parenteral nutrition: *letter,* **829**

anticonvulsant drug, Epileptic psychoses and anticonvulsant drug treatment, **231**

anti-GM1 antibody, Hyperreflexia in Guillain-Barré syndrome: relation with acute motor axonal neuropathy and anti-GM1 antibody, **180**

anti-GQ1b antibody, IgG anti-GQ1b positive acute ataxia without ophthalmoplegia, **668**

anti-Hu antibody, Anti-Hu antibody titre and brain metastases before and after treatment for small cell lung cancer, **353**

anti-onconeural antibodies, Carcinoma associated paraneoplastic peripheral neuropathy: *commentary,* **4**

anxiety, Frontal lobe syndrome reassessed: comparison of patients with lateral or medial frontal brain damage, **664**

apathy, Frontal lobe syndrome reassessed: comparison of patients with lateral or medial frontal brain damage, **664**

apolipoprotein E, Association between butyrylcholinesterase K variant and the Alzheimer type neuropathological changes in apolipoprotein E ε4 carriers older than 75 years: *letter,* **693**

Association of the APOE ε4 allele with disease activity in multiple sclerosis, **203**

Failure to confirm a synergistic effect between the K-variant of the butyrylcholinesterase gene and the ε4 allele of the apolipoprotein gene in Japanese patients with Alzheimer's disease, **94**

apoptosis, BCL-2 Family protein expression in initial and recurrent glioblastomas: modulation by radiochemotherapy, **763**

approach, Ipsilesional neglect: behavioural and anatomical features, **35**

apraxia, Ideomotor prosodic apraxia: *letter,* **694**

arachnoiditis, Sarcoid related optochiasmatic arachnoiditis: favourable outcome confirmed with MRI, **690**

arginine-vasopressin, Nocturnal decrease in vasopressin secretion into plasma in patients with multiple system atrophy, **542**

arousal, Pupillographic findings in neglect, **82**

arteriovenous, Intracranial dural fistula as a cause of diffuse MR enhancement of the cervical spinal cord, **227**

arteriovenous fistula, Pseudotumour after arteriovenous malformation embolisation: *letter,* **249**

arteriovenous fistulous malformation, Positron emission tomography cerebral blood flow before and after embolisation of a dural arteriovenous fistulous malformation, **823**

aspergillosis, Invasive intracranial aspergillosis secondary to intranasal corticosteroids: *letter,* **416**

aspirin, Secondary prevention after cerebral ischaemia of presumed arterial origin: is aspirin still the touchstone: *correspondence,* **832**

Secondary prevention after cerebral ischaemia of presumed arterial origin: is aspirin still the touchstone?: *correspondence,* **832**

ataxia, IgG anti-GQ1b positive acute ataxia without ophthalmoplegia, **668**

attention, Pupillographic findings in neglect, **82**

Right hemisphere contributions to attention and intention: *commentary,* **5**

auditory pathway, Sound lateralisation in patients with left or right cerebral hemispheric lesions: relation with unilateral visuospatial neglect, **481**

autism, Selective mutism, speech delay, dysmorphisms, and deletion of the short arm of chromosome 18: a distinct entity?: *letter,* **830**

autonomic disfunction, Can the early presence of autonomic dysfunction aid diagnosis in parkinsonism?: *commentary,* **566**

autonomic dysfunction, Dysautonomia after traumatic brain injury: a forgotten syndrome?, **39**

Urinary function in elderly people with and without leukoaraiosis: relation to cognitive and gait function, **658**

autonomic failure, Nocturnal decrease in vasopressin secretion into plasma in patients with multiple system atrophy, **542**

autonomic function tests, ^{123}I-metaiodobenzylguanidine myocardial scintigraphy in Parkinson's disease, **189**

autonomic neuropathy, Pupil abnormality in amyloidosis with autonomic neuropathy, **819**

autosomal dominant, Familial hydrocephalus: *letter,* **410**

autosomal dominant inheritance, Autosomal dominant muscle cramp syndrome in a Japanese family, **116**

axonal loss, Axonal loss and demyelation in multiple sclerosis: *commentary,* **708**

axonal polyneuropathy, Axonal polyneuropathy and encephalopathy in a patient with verotoxin producing *Escherichia coli* (VTEC) infection: *letter,* **254**

backward falls, Extrapyramidal involvement in amyotrophic lateral sclerosis: backward falls and retropulsion, **214**

balance control, Disturbances of dynamic balance in phasic cervical dystonia, **807**

Balint's syndrome, Migraine aura masquerading as Balint's syndrome: *letter,* **554**

basal forebrain, Basal forebrain amnesia: does the nucleus accumbens contribute to human memory?, **163**

basal forebrain lesions, What basal forebrain lesions cause amnesia?: *editorial,* **140**

basal ganglia alteration, Basal ganglia alterations and brain atrophy in Huntington's disease depicted by transcranial real time sonography, **457**

BCL-2, BCL-2 Family protein expression in initial and recurrent glioblastomas: modulation by radiochemotherapy, **763**

behavioural manifestations, Catatonia due to central pontine and extrapontine myelinolysis: case report: *letter,* **692**

Bell's palsy, Bell's or Friedreich's palsy, **732**

benign, Benign multiple sclerosis? Clinical course, long term follow up, and assessment of prognostic factors, **148**
benign multiple sclerosis, Benign multiple sclerosis: *editorial,* **138**
bias (epidemiology), Prospective, population based studies of cavernous malformations are needed: *correspondence,* **833**
Bickerstaff's brainstem encephalitis, Bilateral ballism in a patient with overlapping Fisher's and Guillain-Barré syndromes, **206**
Bilateral ballism, Bilateral ballism in a patient with overlapping Fisher's and Guillain-Barré syndromes, **206**
bilateral carotid artery dissection, Persisting rhinorrhoea and headache as the initial symptom of bilateral carotid artery dissection: *letter,* **828**
black pupils, Imaging and laboratory investigation in herpes simplex encephalitis, **243**
blepharospasm, Risk factors for spread of primary adult onset blepharospasm: a multicentre investigation of the Italian Movement Disorders Study Group, **613**
blink reflex, Blink reflex R2 changes and localisation of lesions in the lower brainstem (Wallenberg's syndrome): an electrophysiological and MRI study, **630**
Unmasking of the trigemino-accessory reflex in accessory facial anastomosis, **379**
Blood oxygenation level dependent (BOLD) images, Changes in cerebral blood oxygenation of the frontal lobe induced by direct electrical stimulation of thalamus and globus pallidus: a near infrared spectroscopy study, **769**
blood pressure, Night time versus daytime transient ischaemic attack and ischaemic stroke: a prospective study of 110 patients, **463**
botulinum toxin, A note on the use of botulinum toxin, **230**
Botulinum toxin is a useful treatment in excessive drooling of saliva: *letter,* **697**
Generalised muscular weakness after botulinum toxin injections for dystonia: a report of three cases, **90**
botulism, Generalised muscular weakness after botulinum toxin injections for dystonia: a report of three cases, **90**
brachial plexus, Brachial plexopathy related to alcohol intoxication: *letter,* **411**
bradycardia, Continuous haemodynamic monitoring in an unusual case of swallow induced syncope, **220**
brain calcification, Extensive brain calcifications in systemic sclerosis: two cases: *letter,* **697**
brain damage, Parietal and occipital lobe contributions to perception of straight ahead orientation, **572**
brain death, N18 in median somatosensory evoked potentials: a new indicator of medullary function useful for the diagnosis of brain death, **374**
brain injury, Use of the functional assessment measure (FIM+FAM) in head injury rehabilitation: a psychometric analysis, **749**
brain neoplasm, Solitary intracranial myofibroma in a child: *letter,* **253**
brain surgery, Herpes simplex encephalitis after brain surgery: case report and review of the literature, **239**
breathing, Unilateral focal lesions in the rostrolateral medulla influence chemosensitivity and breathing measured during wakefulness, sleep, and exercise, **637**
bromocriptine, The Sydney multicentre study of Parkinson's disease: progression and mortality at 10 years, **300**
burning feet syndrome: hereditary sensory neuropathy, Autosomal dominant burning feet syndrome, **78**
butyrylcholinesterase K variant, Association between butyrylcholinesterase K variant and the Alzheimer type neuropathological changes in apolipoprotein E ε4 carriers older than 75 years: *letter,* **693**
Failure to confirm a synergistic effect between the K-variant of the butyrylcholinesterase gene and the ε4 allele of the apolipoprotein gene in Japanese patients with Alzheimer's disease, **94**

CAG repeat, Clinical, neuropathological, and molecular study in two families with spinocerebellar ataxia type 6 (SCA6), **86**
Calcium pyrophosphate dihydrate crystal deposition disease, Calcium pyrophosphate dihydrate crystal deposition disease: a case of cervical myelopathy in an elderly woman, **547**
carcinoma, Carcinoma associated paraneoplastic peripheral neuropathy: *commentary,* **4**
carotid artery disease, Prevalence and frequency of microembolic signals in 105 patients with extracranial carotid artery occlusive disease, **525**
carotid artery stenosis, Cardiovascular, autonomic, and plasma catecholamine responses in unilateral and bilateral carotid artery stenosis, **428**
Homeostatic effects of carotid stenosis: *commentary,* **425**
caspase-1, Peripheral levels of caspase-1 mRNA correlate with disease activity in patients with multiple sclerosis; a preliminary study, **785**
catatonia, Catatonia due to central pontine and extrapontine myelinolysis: case report: *letter,* **692**
Decreased density of GABA-A receptors in the left sensorimotor cortex in akinetic catatonia: investigation of in vivo benzodiazepine receptor binding, **445**
catecholamine responses, Cardiovascular, autonomic, and plasma catecholamine responses in unilateral and bilateral carotid artery stenosis, **428**
cauda equina syndrome, Acute cauda equina syndrome caused by thrombosis of the inferior vena cava: *letter,* **827**
cavernous, Prospective, population based studies of cavernous malformations are needed: *correspondence,* **833**
celiac disease, Idiopathic cerebellar ataxia associated with celiac disease: lack of distinctive neurological features: *correspondence,* **257**
cerebellar ataxia, Idiopathic cerebellar ataxia associated with celiac disease: lack of distinctive neurological features: *correspondence,* **257**
cerebellar dysfunction, Bradykinesia akinesia inco-ordination test (BRAIN TEST): an objective computerised assessment of upper limb motor function, **624**
cerebellar tumour, Tumour type and size are high risk factors for the syndrome of "cerebellar" mutism and subsequent dysarthria, **755**
cerebellum, Clinical and MRI study of brain stem and cerebellar involvement in Japanese patients with multiple sclerosis, **153**
cerebral blood flow, Decreased cerebellar blood flow in postinfectious acute cerebellar ataxia, **109**
Neuronal activity alters local blood flow in brain tumour adjacent to the activating cortex: *letter,* **553**
Positron emission tomography cerebral blood flow before and after embolisation of a dural arteriovenous fistulous malformation, **823**
cerebral cavernomas, Spanish families with cavernous angiomas do not share the Hispano-American *CCM1 haplotype: letter,* **551**
cerebral hyperfusion, Post-carotid endarterectomy cerebral hyperperfusion leading to intracerebral haemorrhage, **546**
cerebral infarction, Can stroke physicians and neuroradiologists identify signs of early cerebral infarction on CT?, **651**
cerebral ischaemia, Secondary prevention after cerebral ischaemia of presumed arterial origin: is aspirin still the touchstone: *correspondence,* **832**
cerebrospinal fluid, Bacterial meningitis associated with lumbar drains: a retrospective cohort study, **468**
Determinants of the copper concentration in cerebrospinal fluid: *letter,* **252**
False negative polymerase chain reaction on cerebrospinal fluid samples in tuberculous meningitis: *letter,* **250**
Human herpesvirus 6 in cerebrospinal fluid of patients infected with HIV: frequency and clinical significance, **789**
Lack of restriction of T cell receptor β variable gene usage in cerebrospinal fluid lymphocytes in acute optic neuritis, **585**
Link between the CSF shunt and achievement in adults with spina bifida, **591**
Reduced concentrations of HIV-RNA and TNF-α coexist in CSF of AIDS patients with progressive multifocal leukoencephalopathy, **369**
cerebrotendinous xanthomatosis, Mutation of the sterol 27-hydroxylase gene (*CYP27*) results in truncation of mRNA expressed in leucocytes in a Japanese family with cerebrotendinous xanthomatosis, **675**
Mutations producing premature termination of translation and an amino acid substitution in the sterol 27-hydroxylase gene cause cerebrotendinous xanthomatosis associated with parkinsonism, **195**
cerebrovascular disease, Inverse relation between Braak stage and cerebrovascular pathology in Alzheimer predominant dementia, **654**
cervical dystonia, Disturbances of dynamic balance in phasic cervical dystonia, **807**
cervical myelopathy, Calcium pyrophosphate dihydrate crystal deposition disease: a case of cervical myelopathy in an elderly woman, **547**
cervical rib, Surgery for suspected neurogenic thoracic outlet syndromes: a follow up study, **602**
Charcot-Marie-Tooth disease type 1B, A novel mutation of the myelin P_0 gene segregating Charcot-Marie-Tooth disease type 1B manifesting as trigeminal nerve thickening: *letter,* **250**
chemiluminescence, Comparative study between chemiluminescence assay and two different sensitive polymerase chain reactions on the diagnosis of serial herpes simplex virus encephalitis, **596**
chemotherapy, Intravascular lymphomatosis presenting as an ascending cauda equina: conus medullaris syndrome: remission after biweekly CHOP therapy, **403**
Chiari malformation, Focal (segmental) dyshidrosis in syringomyelia, **106**
children, Solitary intracranial myofibroma in a child: *letter,* **253**
cholinergic deficit, Alterations of muscarinic acetylcholine receptor subtypes in diffuse Lewy body disease: relation to Alzheimer's disease, **209**
chromosomal abnormalities, Selective mutism, speech delay, dysmorphisms, and deletion of the short arm of chromosome 18: a distinct entity?: *letter,* **830**
chromosome 22q11.2 deletion, Psychiatric inpatients and chromosome deletions within 22q11.2, **803**
chromosome 7, Spanish families with cavernous angiomas do not share the Hispano- American *CCM1 haplotype: letter,* **551**

chronic inflammatory demyelinating neuropathy, Carcinoma associated paraneoplastic peripheral neuropathies in patients with and without anti-onconeural antibodies, 7
chronic inflammatory demyelinating polyneuropathy, Severe necrotising cutaneous lesions complicating treatment with interferon β-1a, **115**
chronic pain, Jaws: diversities of gnathological history and temporomandibular joint enterprise: *review,* **141**
chronic stimulation, Acute and chronic effects of anteromedial globus pallidus stimulation in Parkinson's disease, **315**
circadian rhythm, Night time versus daytime transient ischaemic attack and ischaemic stroke: a prospective study of 110 patients, **463**
Nocturnal decrease in vasopressin secretion into plasma in patients with multiple system atrophy, **542**
claudicatio intermittens, Intermittent claudication due to ischaemia of the lumbosacral plexus, **793**
clinical features, Diphtheritic polyneuropathy: a clinical study and comparison with Guillain-Barré syndrome, **433**
cognition, Clinical and radiological determinants of prestroke cognitive decline in a stroke cohort, **742**
Long term effects of refractory temporal lobe epilepsy on cognitive abilities: a cross sectional study, **44**
cognitive functioning, Comparative double blind clinical trial of phenytoin and sodium valproate as anticonvulsant prophylaxis after craniotomy: efficacy, tolerability, and cognitive effects, **474**
cognitive impairment, Thermolabile methylenetetrahydrofolate reductase gene and the risk of cognitive impairment in those over 85, **535**
cold agglutinin, Necrotising vasculitis with conduction block in mononeuropathy multiplex with cold agglutinins: *letter,* **556**
collagen, Detection of meningeal fibrosis after subarachnoid haemorrhage by assaying procollagen propeptides in cerebrospinal fluid, **185**
computed tomography, Can stroke physicians and neuroradiologists identify signs of early cerebral infarction on CT?, **651**
conduction block, Brachial plexopathy related to alcohol intoxication: *letter,* **411**
Necrotising vasculitis with conduction block in mononeuropathy multiplex with cold agglutinins: *letter,* **556**
coping, Psychological adjustment and self reported coping in stroke survivors with and without emotionalism: *letter,* **125**
copper, Determinants of the copper concentration in cerebrospinal fluid: *letter,* **252**
copyright, Giving something back to the authors: *editorial,* **419**
cortical infarcts, Should computed tomography appearance of lacunar stroke influence patient management?, **682**
corticobasal degeneration, Dyspraxia in a patient with corticobasal degeneration: the role of visual and tactile inputs to action, **334**
Progressive frontal gait disturbance with atypical Alzheimer's disease and corticobasal degeneration, **345**
corticosteroid, Sarcoid related optochiasmatic arachnoiditis: favourable outcome confirmed with MRI, **690**
corticosteroids, Invasive intracranial aspergillosis secondary to intranasal corticosteroids: *letter,* **416**
craniotomy, Comparative double blind clinical trial of phenytoin and sodium valproate as anticonvulsant prophylaxis after craniotomy: efficacy, tolerability, and cognitive effects, **474**
CREST syndrome, Extensive brain calcifications in systemic sclerosis: two cases: *letter,* **697**
Creutzfeldt-Jakob disease, Clinical range and MRI in Creutzfeldt-Jakob disease with heterozygosity at codon 129 and prion protein type 2, **678**
crying, Crying spells as symptoms of a transient ischaemic attack: *letter,* **255**
CSF albumin:serum albumin ratio, Reduced concentrations of HIV-RNA and TNF-α coexist in CSF of AIDS patients with progressive multifocal leukoencephalopathy, **369**
CSF protein, Detection of meningeal fibrosis after subarachnoid haemorrhage by assaying procollagen propeptides in cerebrospinal fluid, **185**
cuneate nucleus, N18 in median somatosensory evoked potentials: a new indicator of medullary function useful for the diagnosis of brain death, **374**
CYP27, Mutation of the sterol 27-hydroxylase gene (*CYP27*) results in truncation of mRNA expressed in leucocytes in a Japanese family with cerebrotendinous xanthomatosis, **675**
cytomegalovirus, Human herpesvirus 6 in cerebrospinal fluid of patients infected with HIV: frequency and clinical significance, **789**

debrancher deficiency, Different clinical aspects of debrancher deficiency myopathy, **364**
deep brain stimulation, Improvement of levodopa induced dyskinesias by thalamic deep brain stimulation is related to slight variation in electrode placement: possible involvement of the centre median and parafascicularis complex, **308**
dementia, Estrogen use and early onset Alzheimer's disease: a population-based study, **779**
Inverse relation between Braak stage and cerebrovascular pathology in Alzheimer predominant dementia, **654**
Long term effects of refractory temporal lobe epilepsy on cognitive abilities: a cross sectional study, **44**
Specific patterns of cognitive impairment in patients with idiopathic normal pressure hydrocephalus and Alzheimer's disease: a pilot study, **723**
Type 1 protease resistant prion protein and valine homozygosity at codon 129 of *PRNP* identify a subtype of sporadic Creutzfeldt-Jakob disease, **671**
White matter lesions on magnetic resonance imaging in dementia with Lewy bodies, Alzheimer's disease, vascular dementia, and normal aging, **66**
demyelation, Axonal loss and demyelation in multiple sclerosis: *commentary,* **708**
dentatorubropallidoluysian atrophy, Dentatorubropallidoluysian atrophy in a Spanish family: a clinical, radiological, pathological, and genetic study, **811**
depression, Frontal lobe syndrome reassessed: comparison of patients with lateral or medial frontal brain damage, **664**
Reversal of tetrabenazine induced depression by selective noradrenaline (norepinephrine) reuptake inhibition: *letter,* **550**
Right frontal lobe slow frequency repetitive transcranial magnetic stimulation (SF r-TMS) is an effective treatment for depression: a case-control pilot study of safety and efficacy, **113**
detrusor hyperreflexia, Urinary function in elderly people with and without leukoaraiosis: relation to cognitive and gait function, **658**
developmental venous anomaly, Clinical significance of intracranial developmental venous anomalies, **234**
diabetes mellitus, Progressive polyradiculoneuropathy in diabetes: correlation of variables and clinical outcome after immunotherapy, **607**
diabetic amyotrophy, Proximal diabetic neuropathy presenting with respiratory weakness, **539**
diabetic neuropathy, Diabetic neuropathy: mechanisms and future treatment options: *editorial,* **277**
diagnosis, Imaging and laboratory investigation in herpes simplex encephalitis: *lesson of the month,* **243**
diagnostic ultrasound, Basal ganglia alterations and brain atrophy in Huntington's disease depicted by transcranial real time sonography, **457**
diaphragm, Giant cell arteritis of the cervical radicular vessels presenting with diaphragmatic weakness, **223**
Proximal diabetic neuropathy presenting with respiratory weakness, **539**
diffuse lewy body disease, Alterations of muscarinic acetylcholine receptor subtypes in diffuse Lewy body disease: relation to Alzheimer's disease, **209**
diphtheria, Diphtheritic polyneuropathy, **825**
diphtheritic antitoxin, Diphtheritic polyneuropathy: a clinical study and comparison with Guillain-Barré syndrome, **433**
diphtheritic polyneuritis, Diphtheritic polyneuropathy: a clinical study and comparison with Guillain-Barré syndrome, **433**
diptheria, Resurgence of diphtheria in the newly independent states of the former Soviet Union: a reminder of risk: *commentary,* **426**
disability, Interferon-β-1a in relapsing-remitting multiple sclerosis: effect on hypointense lesion volume on T1 weighted images, **579**
disconnection syndrome, Migraine aura masquerading as Balint's syndrome: *letter,* **554**
disinhibition, Frontal lobe syndrome reassessed: comparison of patients with lateral or medial frontal brain damage, **664**
dissection, Magnetic resonance imaging and vertebral artery dissection: *letter,* **691**
Spinal sulcal artery syndrome due to spontaneous bilateral vertebral artery dissection: *letter,* **550**
distal myopathies, Distal myopathies: clinical and molecular diagnosis and classification: *editorial,* **703**
DNA deletion, Electrical inexcitability of nerves and muscles in severe infantile spinal muscular atrophy: *letter,* **122**
DNT, Spontaneous intralesional haemorrhage in dysembryoplastic neuroepithelial tumours: a series of five cases, **97**
dopamine reuptake, Usefulness of a dopamine transporter PET ligand [^{18}F]β-CFT in assessing disability in Parkinson's disease, **737**
dopamine transporter, Usefulness of a dopamine transporter PET ligand [^{18}F]β-CFT in assessing disability in Parkinson's disease, **737**
double filtration plasmapheresis, Necrotising vasculitis with conduction block in mononeuropathy multiplex with cold agglutinins: *letter,* **556**
drooling of saliva, Botulinum toxin is a useful treatment in excessive drooling of saliva: *letter,* **697**
drug treatment for acute stroke, Recent progress in drug treatment for acute stroke: *editorial,* **420**
Duchenne de Boulogne, Some contributions of Duchenne de Boulogne (1806–75), **322**
dysautonomia, Dysautonomia after traumatic brain injury: a forgotten syndrome?, **39**
dysgraphia, Dyspraxia in a patient with corticobasal degeneration: the role of visual and tactile inputs to action, **334**
dyshidrosis, Focal (segmental) dyshidrosis in syringomyelia, **106**
dysmetria, Bradykinesia akinesia inco-ordination test (BRAIN TEST): an objective computerised assessment of upper limb motor function, **624**

dystonia, Dysautonomia after traumatic brain injury: a forgotten syndrome?, **39**
Generalised muscular weakness after botulinum toxin injections for dystonia: a report of three cases, **90**

EDSS, Benign multiple sclerosis? Clinical course, long term follow up, and assessment of prognostic factors, **148**
elective mutism, Selective mutism, speech delay, dysmorphisms, and deletion of the short arm of chromosome 18: a distinct entity?: *letter,* **830**
electrical inexcitability, Electrical inexcitability of nerves and muscles in severe infantile spinal muscular atrophy: *letter,* **122**
electrocorticography, Generation of scalp discharges in temporal lobe epilepsy as suggested by intraoperative electrocorticographic recordings, **51**
electromyography, Electrical inexcitability of nerves and muscles in severe infantile spinal muscular atrophy: *letter,* **122**
embolism, Prevalence and frequency of microembolic signals in 105 patients with extracranial carotid artery occlusive disease, **525**
emotionalism, Psychological adjustment and self reported coping in stroke survivors with and without emotionalism: *letter,* **125**
encephalitis, Herpes simplex encephalitis after brain surgery: case report and review of the literature, **239**
"Can't you use another vaccine"? postrabies vaccination encephalitis: *letter,* **555**
encephalopathy, Axonal polyneuropathy and encephalopathy in a patient with verotoxin producing *Escherichia coli* (VTEC) infection: *letter,* **254**
endarterectomy, Post-carotid endarterectomy cerebral hyperperfusion leading to intracerebral haemorrhage, **546**
endometrioid carcinoma, Positive response to therapy in a patient with seropositive paraneoplastic cerebellar degeneration and an endometrioid carcinoma of the vesico- vaginal septum: *letter,* **412**
endoscopic third ventriculostomy, Hydrocephalus caused by metastatic brain lesions: treatment by third ventriculostomy: *letter,* **552**
epilepsy, Epileptic psychoses and anticonvulsant drug treatment, **231**
From mystery to prevention: sudden unexpected death in epilepsy, time to move on: *commentary,* **427**
Long term effects of refractory temporal lobe epilepsy on cognitive abilities: a cross sectional study, **44**
Microdysgenesis in surgical specimens from patients with epilepsy: occurrence and clinical correlations, **521**
Spontaneous intralesional haemorrhage in dysembryoplastic neuroepithelial tumours: a series of five cases, **97**
epileptiform discharge, Generation of scalp discharges in temporal lobe epilepsy as suggested by intraoperative electrocorticographic recordings, **51**
essential tremor, Re-emergent tremor of Parkinson's disease, **646**
estrogen, Estrogen use and early onset Alzheimer's disease: a population-based study, **779**
executive dysfunction, Specific patterns of cognitive impairment in patients with idiopathic normal pressure hydrocephalus and Alzheimer's disease: a pilot study, **723**
executive function, Neuropsychological abnormalities in first degree relatives of patients with familial Parkinson's disease, **323**
eye blinks, Quantitative study of spontaneous eye blinks and eye tics in Gilles de la Tourette's syndrome, **800**
eye movements, Lateral gaze synkinesis on downward saccade attempts with paramedian thalamic and midbrain infarct: *letter,* **696**
eye tics, Quantitative study of spontaneous eye blinks and eye tics in Gilles de la Tourette's syndrome, **800**
eyeblink classical conditioning, Learning in Parkinson's disease: eyeblink conditioning, declarative learning, and procedural learning, **27**

facial nerve, MRI appearances of the facial nerve in an HIV infected patient with acute facial nerve palsy, **407**
false negative, False negative polymerase chain reaction on cerebrospinal fluid samples in tuberculous meningitis established by culture: *letter,* **249**
Fisher's syndrome, Bilateral ballism in a patient with overlapping Fisher's and Guillain-Barré syndromes, **206**
fissure of Rolando, The fissure of Ronaldo, **528**
fistula, Intracranial dural fistula as a cause of diffuse MR enhancement of the cervical spinal cord, **227**
flail arm syndrome, Flail arm syndrome or Vulpian-Bernhart's form of amyotrophic lateral sclerosis: *correspondence,* **258**
focal dystonia, Risk factors for spread of primary adult onset blepharospasm: a multicentre investigation of the Italian Movement Disorders Study Group, **613**
fornix, Retrograde temporal order amnesia resulting from damage to the fornix, **102**
founder effect, Spanish families with cavernous angiomas do not share the Hispano- American *CCM1 haplotype: letter,* **551**
Friedreich's ataxia, A family with pseudodominant Friedreich's ataxia showing marked variation of phenotype between affected siblings, **217**
frontal lobe, Frontal lobe syndrome reassessed: comparison of patients with lateral or medial frontal brain damage, **664**
frontal-subcortical, Ipsilesional neglect: behavioural and anatomical features, **35**
functional assessment measure, Use of the functional assessment measure (FIM+FAM) in head injury rehabilitation: a psychometric analysis, **749**
functional MRI, Changes in cerebral blood oxygenation of the frontal lobe induced by direct electrical stimulation of thalamus and globus pallidus: a near infrared spectroscopy study, **769**
functional plasticity, Activation of the left motor cortex during left leg movements after right central resection, **487**

GABA-A receptors, Decreased density of GABA-A receptors in the left sensorimotor cortex in akinetic catatonia: investigation of in vivo benzodiazepine receptor binding, **445**
gadolinium, Intracranial dural fistula as a cause of diffuse MR enhancement of the cervical spinal cord, **227**
genetics, Association of the APOE ε4 allele with disease activity in multiple sclerosis, **203**
Dentatorubropallidoluysian atrophy in a Spanish family: a clinical, radiological, pathological, and genetic study, **811**
N-acetyltransferase-2 polymorphism in Parkinson's disease: the Rotterdam study, **518**
geriatric urinary incontinence, Urinary function in elderly people with and without leukoaraiosis: relation to cognitive and gait function, **658**
giant cell arteritis, Giant cell arteritis of the cervical radicular vessels presenting with diaphragmatic weakness, **223**
Gilles de la Tourette's syndrome, Quantitative study of spontaneous eye blinks and eye tics in Gilles de la Tourette's syndrome, **800**
glioblastoma, BCL-2 Family protein expression in initial and recurrent glioblastomas: modulation by radiochemotherapy, **763**
globus pallidus, Acute and chronic effects of anteromedial globus pallidus stimulation in Parkinson's disease, **315**
Extrapyramidal involvement in amyotrophic lateral sclerosis: backward falls and retropulsion, **214**
glucose metabolism, Cerebral metabolism during vegetative state and after recovery to consciousness: *letter,* **121**
glycogen storage disease, Different clinical aspects of debrancher deficiency myopathy, **364**
glycogenosis, Different clinical aspects of debrancher deficiency myopathy, **364**
graviception, A case of thalamic syndrome: somatosensory influences on visual orientation, **390**
Guillain-Barré syndrome, Bilateral ballism in a patient with overlapping Fisher's and Guillain-Barré syndromes, **206**
Carcinoma associated paraneoplastic peripheral neuropathies in patients with and without anti-onconeural antibodies, **7**
Diphtheritic polyneuropathy: a clinical study and comparison with Guillain-Barré syndrome, **433**
Hyperreflexia in Guillain-Barré syndrome: relation with acute motor axonal neuropathy and anti-GM1 antibody, **180**
Relation between critical illness polyneuropathy and axonal Guillain-Barré syndrome: *letter,* **128**

haemangioblastoma, The impact of molecular genetic analysis of the *VHL* gene in patients with haemangioblastomas of the central nervous system, **758**
haemangioma, Prospective, population based studies of cavernous malformations are needed: *correspondence,* **833**
haemodialysis, Tetrodotoxin intoxication in a uraemic patient: *letter,* **127**
haemolytic-uraemic syndrome, Axonal polyneuropathy and encephalopathy in a patient with verotoxin producing *Escherichia coli* (VTEC) infection: *letter,* **254**
haemorrhage, Spontaneous intralesional haemorrhage in dysembryoplastic neuroepithelial tumours: a series of five cases, **97**
haemorrhagic diarrhoea, Axonal polyneuropathy and encephalopathy in a patient with verotoxin producing *Escherichia coli* (VTEC) infection: *letter,* **254**
head injury, Glasgow Head Injury Outcome Prediction Program: an independent assessment, **796**
headache, Imaging and laboratory investigation in herpes simplex encephalitis, **243**
Persisting rhinorrhoea and headache as the initial symptom of bilateral carotid artery dissection: *letter,* **828**
hemianopia, Hemianopia and visual neglect: a question of balance?: *commentary,* **565**
Parietal and occipital lobe contributions to perception of straight ahead orientation, **572**
When the left brain is not right the right brain may be left: report of personal experience of occipital hemianopia, **169**
hemifacial spasm, Perforating branches from offending arteries in hemifacial spasm: anatomical correlation with vertebrobasilar configuration, **73**
hemispherectomy, Activation of the left motor cortex during left leg movements after right central resection, **487**
herpes simplex encephalitis, Imaging and laboratory investigation in herpes simplex encephalitis: *lesson of the month,* **243**
herpes simplex virus, Herpes simplex encephalitis after brain surgery: case report and review of the literature, **239**

herpes simplex virus encephalitis, Comparative study between chemiluminescence assay and two different sensitive polymerase chain reactions on the diagnosis of serial herpes simplex virus encephalitis, **596**
HHV-6, Human herpesvirus 6 is latent in peripheral blood of patients with relapsing-remitting multiple sclerosis, **529**
hiccup, Transient hiccups after posteroventral pallidotomy for Parkinson's disease: *letter,* **124**
high dose methylprednisolone pulse therapy, Lymphocytic hypophysitis: non-invasive diagnosis and treatment by high dose methylprednisolone pulse therapy?, **398**
$H_2{}^{15}O$ PET, Activation of the left motor cortex during left leg movements after right central resection, **487**
histopathology, Clinical range and MRI in Creutzfeldt-Jakob disease with heterozygosity at codon 129 and prion protein type 2, **678**
HIV, MRI appearances of the facial nerve in an HIV infected patient with acute facial nerve palsy, **407**
HIV infection, Human herpesvirus 6 in cerebrospinal fluid of patients infected with HIV: frequency and clinical significance, **789**
HIV-RNA titration, Reduced concentrations of HIV-RNA and TNF-α coexist in CSF of AIDS patients with progressive multifocal leukoencephalopathy, **369**
Horner's syndrome, Pupil abnormality in amyloidosis with autonomic neuropathy, **819**
H-reflex, Hyperreflexia in Guillain-Barré syndrome: relation with acute motor axonal neuropathy and anti-GM1 antibody, **180**
human herpesvirus type 6, Human herpesvirus 6 in cerebrospinal fluid of patients infected with HIV: frequency and clinical significance, **789**
Huntington's disease, Basal ganglia alterations and brain atrophy in Huntington's disease depicted by transcranial real time sonography, **457**
Dentatorubropallidoluysian atrophy in a Spanish family: a clinical, radiological, pathological, and genetic study, **811**
The use of olanzapine for movement disorder in Huntington's disease: a first case report: *letter,* **123**
hydrocephalus, Familial hydrocephalus: *letter,* **410**
hyperreflexia, Hyperreflexia in Guillain-Barré syndrome: relation with acute motor axonal neuropathy and anti-GM1 antibody, **180**
hypotension, Continuous haemodynamic monitoring in an unusual case of swallow induced syncope, **220**

ideomotor dyspraxia, Dyspraxia in a patient with corticobasal degeneration: the role of visual and tactile inputs to action, **334**
imaging, Imaging and laboratory investigation in herpes simplex encephalitis: *lesson of the month,* **243**
immunosuppressive therapy, Positive response to therapy in a patient with seropositive paraneoplastic cerebellar degeneration and an endometrioid carcinoma of the vesico- vaginal septum: *letter,* **412**
immunosuppressive treatment, Progressive polyradiculoneuropathy in diabetes: correlation of variables and clinical outcome after immunotherapy, **607**
implicit and explicit memory, Learning in Parkinson's disease: eyeblink conditioning, declarative learning, and procedural learning, **27**
incoordination, Bradykinesia akinesia inco-ordination test (BRAIN TEST): an objective computerised assessment of upper limb motor function, **624**
infarction, Isolated infarction in the territory of lateral posterior choroidal arteries: *letter,* **413**
insula, Verbal memory impairment after left insular cortex infarction, **532**
intention, Right hemisphere contributions to attention and intention: *commentary,* **5**
interferon β, Interferon β treatment for multiple sclerosis has a graduated effect on MRI enhancing lesions according to their size and pathology, **386**
interferon β-1a, Randomised, double blind, placebo controlled study of interferon β-1a in relapsing-remitting multiple sclerosis analysed by area under disability/time curves, **451**
Severe necrotising cutaneous lesions complicating treatment with interferon β-1a, **115**
interferon-β, Interferon-β-1a in relapsing-remitting multiple sclerosis: effect on hypointense lesion volume on T1 weighted images, **579**
Treatment recommendations for interferon-β in multiple sclerosis: *editorial,* **561**
interlocuter distance, Regulation of parkinsonian speech volume: the effect of interlocuter distance, **199**
intermediate Charcot-Marie-Tooth disease, Novel mutation in the myelin protein zero gene in a family with intermediate hereditary motor and sensory neuropathy, **174**
interstimulus interval, Effect of interstimulus interval on visual P300 in Parkinson's disease, **497**
intoxication, Acute overdosage and intoxication with carbidopa/levodopa can be detected in the subacute stage by measurement of 3-*o*-methyldopa: *letter,* **122**
intracerebral haemorrhage, Post-carotid endarterectomy cerebral hyperperfusion leading to intracerebral haemorrhage, **546**
intracranial follicular lymphoma, Intracranial extracerebral follicular lymphoma mimicking a sphenoid wing meningioma: *letter,* **251**
intravascular lymphomatosis, Intravascular lymphomatosis presenting as an ascending cauda equina: conus medullaris syndrome: remission after biweekly CHOP therapy, **403**
intravenous immunoglobulin, Use of human intravenous immunoglobulin in lower motor neuron syndromes, **15**
ipsilateral hemioplegia, Opalski's syndrome, **688**
ipsilesional, Ipsilesional neglect: behavioural and anatomical features, **35**
ischaemia, Intermittent claudication due to ischaemia of the lumbosacral plexus, **793**
Secondary prevention after cerebral ischaemia of presumed arterial origin: is aspirin still the touchstone?: *correspondence,* **832**
ischaemic spinal cord injury, Prognosis and recovery in ischaemic and traumatic spinal cord injury: clinical and electrophysiological evaluation, **567**
Prognosis and recovery in ischaemic and traumatic spinal cord injury: *commentary,* **564**
itraconazole, Invasive intracranial aspergillosis secondary to intranasal corticosteroids: *letter,* **416**

Japanese, Clinical and MRI study of brain stem and cerebellar involvement in Japanese patients with multiple sclerosis, **153**

khat, Leukoencephalopathy associated with khat misuse: *letter,* **556**
kinesias, Bradykinesia akinesia inco-ordination test (BRAIN TEST): an objective computerised assessment of upper limb motor function, **624**
Korsakoff's syndrome, Brain correlates of memory dysfunction in alcoholic Korsakoff's syndrome, **774**

laboratory analysis, Detection of meningeal fibrosis after subarachnoid haemorrhage by assaying procollagen propeptides in cerebrospinal fluid, **185**
lacunar infarcts, Should computed tomography appearance of lacunar stroke influence patient management?, **682**
lateral posterior choroidal arteries, Isolated infarction in the territory of lateral posterior choroidal arteries: *letter,* **413**
learning, Speed of information processing as a key deficit in multiple sclerosis: implications for rehabilitation, **661**
lesion, Unilateral focal lesions in the rostrolateral medulla influence chemosensitivity and breathing measured during wakefulness, sleep, and exercise, **637**
leucocyte, Mutation of the sterol 27-hydroxylase gene (*CYP27*) results in truncation of mRNA expressed in leucocytes in a Japanese family with cerebrotendinous xanthomatosis, **675**
leukoaraiosis, Urinary function in elderly people with and without leukoaraiosis: relation to cognitive and gait function, **658**
leukoencephalopathy, Leukoencephalopathy associated with khat misuse: *letter,* **556**
levodopa, Acute overdosage and intoxication with carbidopa/levodopa can be detected in the subacute stage by measurement of 3-*o*-methyldopa: *letter,* **122**
levodopa induced dyskinesias, Improvement of levodopa induced dyskinesias by thalamic deep brain stimulation is related to slight variation in electrode placement: possible involvement of the centre median and parafascicularis complex, **308**
limb shaking, Vasomotor reactivity is exhausted in transient ischaemic attacks with limb shaking: *correspondence,* **131**
Lorenzo's oil, Progression of abnormalities in adrenomyeloneuropathy and neurologically asymptomatic X-linked adrenoleukodystrophy despite treatment with "Lorenzo's oil", **290**
Treatment of X-linked adrenoleukodystrophy with Lorenzo's oil: *editorial,* **279**
Lower brainstem, Blink reflex R2 changes and localisation of lesions in the lower brainstem (Wallenberg's syndrome): an electrophysiological and MRI study, **630**
lower motor neuron, Use of human intravenous immunoglobulin in lower motor neuron syndromes, **15**
lower motor neuron syndromes, New hope for patients with pure lower motor neuron syndromes: *commentary,* **6**
lumbar drainage, Bacterial meningitis associated with lumbar drains: a retrospective cohort study, **468**
lymphocytic hypophysitis, Lymphocytic hypophysitis: non-invasive diagnosis and treatment by high dose methylprednisolone pulse therapy?, **398**

magnetic resonance, Intracranial dural fistula as a cause of diffuse MR enhancement of the cervical spinal cord, **227**
magnetic resonance angiography, Magnetic resonance imaging and vertebral artery dissection: *letter,* **691**
magnetic resonance imaging, Blink reflex R2 changes and localisation of lesions in the lower brainstem (Wallenberg's syndrome): an electrophysiological and MRI study, **630**
Brain correlates of memory dysfunction in alcoholic Korsakoff's syndrome, **774**
Clinical and magnetic resonance imaging heterogeneity in multiple sclerosis: *editorial,* **139**
Clinical and MRI study of brain stem and cerebellar involvement in Japanese patients with multiple sclerosis, **153**

Clinical range and MRI in Creutzfeldt-Jakob disease with heterozygosity at codon 129 and prion protein type 2, **678**
Interferon β treatment for multiple sclerosis has a graduated effect on MRI enhancing lesions according to their size and pathology, **386**
Interferon-β-1a in relapsing-remitting multiple sclerosis: effect on hypointense lesion volume on T1 weighted images, **579**
MRI appearances of the facial nerve in an HIV infected patient with acute facial nerve palsy, **407**
Parkinson's disease: a novel MRI method for determining structural changes in the substantia nigra, **815**
Sarcoid related optochiasmatic arachnoiditis: favourable outcome confirmed with MRI, **690**
White matter lesions on magnetic resonance imaging in dementia with Lewy bodies, Alzheimer's disease, vascular dementia, and normal aging, **66**
magnetic resonance spectroscopy, Evidence for cortical dysfunction in clinically non-demented patients with Parkinson's disease: a proton MR spectroscopy study, **20**
magnetisation transfer, Does the extent of axonal loss and demyelination from chronic lesions in multiple sclerosis correlate with the clinical subgroup?, **710**
malignant brain tumour, Quality of life in patients with stable disease after surgery, radiotherapy, and chemotherapy for malignant brain tumour, **358**
3-*o*-methyldopa, Acute overdosage and intoxication with carbidopa/levodopa can be detected in the subacute stage by measurement of 3-*o*-methyldopa: *letter,* **122**
medulla, Unilateral focal lesions in the rostrolateral medulla influence chemosensitivity and breathing measured during wakefulness, sleep, and exercise, **637**
medullary infarction, Blink reflex R2 changes and localisation of lesions in the lower brainstem (Wallenberg's syndrome): an electrophysiological and MRI study, **630**
memory, Brain correlates of memory dysfunction in alcoholic Korsakoff's syndrome, **774**
Verbal memory impairment after left insular cortex infarction, **532**
meningitis, Bacterial meningitis associated with lumbar drains: a retrospective cohort study, **468**
meninges, Detection of meningeal fibrosis after subarachnoid haemorrhage by assaying procollagen propeptides in cerebrospinal fluid, **185**
mental retardation, Microdysgenesis in surgical specimens from patients with epilepsy: occurrence and clinical correlations, **521**
metastases, Anti-Hu antibody titre and brain metastases before and after treatment for small cell lung cancer, **353**
metastatic brain tumor, Hydrocephalus caused by metastatic brain lesions: treatment by third ventriculostomy: *letter,* **552**
methylenetetrahydrofolate reductase gene, Thermolabile methylenetetrahydrofolate reductase gene and the risk of cognitive impairment in those over 85, **535**
microdysgenisis, Microdysgenesis in surgical specimens from patients with epilepsy: occurrence and clinical correlations, **521**
microvascular decompression, Perforating branches from offending arteries in hemifacial spasm: anatomical correlation with vertebrobasilar configuration, **73**
midbrain, Lateral gaze synkinesis on downward saccade attempts with paramedian thalamic and midbrain infarct: *letter,* **696**
migraine aura, Migraine aura masquerading as Balint's syndrome: *letter,* **554**
Miller Fisher syndrome, IgG anti-GQ1b positive acute ataxia without ophthalmoplegia, **668**
minimum data set, Predictors of mortality in patients with Alzheimer's disease living in nursing homes, **59**
missense mutation, Mutations producing premature termination of translation and an amino acid substitution in the sterol 27-hydroxylase gene cause cerebrotendinous xanthomatosis associated with parkinsonism, **195**
Novel mutation in the myelin protein zero gene in a family with intermediate hereditary motor and sensory neuropathy, **174**
mortality, Predictors of mortality in patients with Alzheimer's disease living in nursing homes, **59**
The Sydney multicentre study of Parkinson's disease: progression and mortality at 10 years, **300**
motor cortex, Decreased density of GABA-A receptors in the left sensorimotor cortex in akinetic catatonia: investigation of in vivo benzodiazepine receptor binding, **445**
motor neuron disease, New hope for patients with pure lower motor neuron syndromes: *commentary,* **6**
movement disorder, The use of olanzapine for movement disorder in Huntington's disease: a first case report: *letter,* **123**
MRI, Clinical and radiological determinants of prestroke cognitive decline in a stroke cohort, **742**
Spontaneous intralesional haemorrhage in dysembryoplastic neuroepithelial tumours: a series of five cases, **97**
multifocal motor neuropathy, New hope for patients with pure lower motor neuron syndromes: *commentary,* **6**
Use of human intravenous immunoglobulin in lower motor neuron syndromes, **15**
multiple sclerosis, Association of the APOE ε4 allele with disease activity in multiple sclerosis, **203**
Axonal loss and demyelation in multiple sclerosis: *commentary,* **708**
Benign multiple sclerosis? Clinical course, long term follow up, and assessment of prognostic factors, **148**
Chronic misuse of paint thinners, **247**
Clinical and magnetic resonance imaging heterogeneity in multiple sclerosis: *editorial,* **139**
Clinical and MRI study of brain stem and cerebellar involvement in Japanese patients with multiple sclerosis, **153**
Does the extent of axonal loss and demyelination from chronic lesions in multiple sclerosis correlate with the clinical subgroup?, **710**
Human herpesvirus 6 is latent in peripheral blood of patients with relapsing-remitting multiple sclerosis, **529**
Interferon β treatment for multiple sclerosis has a graduated effect on MRI enhancing lesions according to their size and pathology, **386**
Interferon-β-1a in relapsing-remitting multiple sclerosis: effect on hypointense lesion volume on T1 weighted images, **579**
Peripheral levels of caspase-1 mRNA correlate with disease activity in patients with multiple sclerosis; a preliminary study, **785**
Physicians, subsequence and consequence: *review,* **282**
Randomised, double blind, placebo controlled study of interferon β-1a in relapsing-remitting multiple sclerosis analysed by area under disability/time curves, **451**
Speed of information processing as a key deficit in multiple sclerosis: implications for rehabilitation, **661**
Treatment recommendations for interferon-β in multiple sclerosis: *editorial,* **561**
Validation of Italian multiple sclerosis quality of life 54 questionnaire, **158**
multiple system atrophy, Continuous drop type of orthostatic hypotension: *letter,* **255**
Nocturnal decrease in vasopressin secretion into plasma in patients with multiple system atrophy, **542**
muscarinic receptor, Alterations of muscarinic acetylcholine receptor subtypes in diffuse Lewy body disease: relation to Alzheimer's disease, **209**
muscle biospy, Intravascular lymphomatosis presenting as an ascending cauda equina: conus medullaris syndrome: remission after biweekly CHOP therapy, **403**
muscle cramp, Autosomal dominant muscle cramp syndrome in a Japanese family, **116**
mutism and subsequent dysarthria, Tumour type and size are high risk factors for the syndrome of "cerebellar" mutism and subsequent dysarthria, **755**
myelin protein zero gene, Novel mutation in the myelin protein zero gene in a family with intermediate hereditary motor and sensory neuropathy, **174**
myelin protein zero (P_0), A novel mutation of the myelin P_0 gene segregating Charcot-Marie-Tooth disease type 1B manifesting as trigeminal nerve thickening: *letter,* **250**
myelopathy, Intracranial dural fistula as a cause of diffuse MR enhancement of the cervical spinal cord, **227**
myoclonus, Neurostimulation of the ventral intermediate thalamic nucleus alleviates hereditary essential myoclonus: *letter,* **415**
myofibromatosis, Solitary intracranial myofibroma in a child: *letter,* **253**
myopathy, Different clinical aspects of debrancher deficiency myopathy, **364**
myotonic dystrophy, Procainamide for faecal incontinence in myotonic dystrophy: *correspondence,* **257**

N18, N18 in median somatosensory evoked potentials: a new indicator of medullary function useful for the diagnosis of brain death, **374**
N-acetyl aspartate, Does the extent of axonal loss and demyelination from chronic lesions in multiple sclerosis correlate with the clinical subgroup?, **710**
N-acetyltransferase-2, N-acetyltransferase-2 polymorphism in Parkinson's disease: the Rotterdam study, **518**
near infrared spectroscopy, Changes in cerebral blood oxygenation of the frontal lobe induced by direct electrical stimulation of thalamus and globus pallidus: a near infrared spectroscopy study, **769**
Neuronal activity alters local blood flow in brain tumour adjacent to the activating cortex: *letter,* **553**
necrotising cutaneous lesion, Severe necrotising cutaneous lesions complicating treatment with interferon β-1a, **115**
necrotising vasculitis in mononeuropathy multiplex, Necrotising vasculitis with conduction block in mononeuropathy multiplex with cold agglutinins: *letter,* **556**
negative symptoms, Repetitive transcranial magnetic stimulation in the treatment of chronic negative schizophrenia: a pilot study: *letter,* **129**
neglect, Ipsilesional neglect: behavioural and anatomical features, **35**
Pupillographic findings in neglect, **82**
neurally mediated syncope, Continuous haemodynamic monitoring in an unusual case of swallow induced syncope, **220**
neurodegeneration, Type 1 protease resistant prion protein and valine homozygosity at codon 129 of *PRNP* identify a subtype of sporadic Creutzfeldt-Jakob disease, **671**

neurofibrillary tangle, Association between butyrylcholinesterase K variant and the Alzheimer type neuropathological changes in apolipoprotein E ε4 carriers older than 75 years: *letter,* **693**
neurogenic pulmonary oedema, Respiratory aspects of neurological disease: *correspondence,* **256**
Neurological stamp, Armauer Gerhard Heinrik Hansen (1841-1912), **14**
Charles Louis Alphonse Laveran (1845-1922), **520**
Ivan Petrovich Pavlov (1849-1936), **299**
Neurological Advertisements on Stamps, **814**
Papyrus of Ebers and Smith, **578**
Sir William Osler (1849–1919), **137**
neuropathology, Clinical, neuropathological, and molecular study in two families with spinocerebellar ataxia type 6 (SCA6), **86**
neuroplasticity, Unmasking of the trigemino-accessory reflex in accessory facial anastomosis, **379**
neuropsychiatric inventory, Range of neuropsychiatric disturbances in patients with Parkinson's disease, **492**
neurostimulation, Neurostimulation of the ventral intermediate thalamic nucleus alleviates hereditary essential myoclonus: *letter,* **415**
nitric oxide, Nitric oxide in acute ischaemic stroke: a target for neuroprotection: *editorial,* **1**
nitric oxide synthase DNA polymorphisms, Angiotensin converting enzyme and endothelial nitric oxide synthase DNA polymorphisms and late onset Alzheimer's disease, **733**
nocturnal polyuria, Nocturnal decrease in vasopressin secretion into plasma in patients with multiple system atrophy, **542**
nucleus accumbens, Basal forebrain amnesia: does the nucleus accumbens contribute to human memory?, **163**
nucleus centromedianus and parafascicularis, Improvement of levodopa induced dyskinesias by thalamic deep brain stimulation is related to slight variation in electrode placement: possible involvement of the centre median and parafascicularis complex, **308**
nursing home, Predictors of mortality in patients with Alzheimer's disease living in nursing homes, **59**

observer reliability, Can stroke physicians and neuroradiologists identify signs of early cerebral infarction on CT?, **651**
obstructive hydrocephalus, Hydrocephalus caused by metastatic brain lesions: treatment by third ventriculostomy: *letter,* **552**
occipital, When the left brain is not right the right brain may be left: report of personal experience of occipital hemianopia, **169**
oddball paradigm, Effect of interstimulus interval on visual P300 in Parkinson's disease, **497**
olanzapine, The use of olanzapine for movement disorder in Huntington's disease: a first case report: *letter,* **123**
Opalski's syndrome, Opalski's syndrome, **688**
optic nerve sheath meningioma, Optic nerve sheath meningioma , **408**
optic neuritis, Lack of restriction of T cell receptor β variable gene usage in cerebrospinal fluid lymphocytes in acute optic neuritis, **585**
Physicians, subsequence and consequence: *review,* **282**
oral control (speech), Effect of stimulation of the subthalamic nucleus on oral control of patients with parkinsonism, **329**
orthostatic hypotension, Continuous drop type of orthostatic hypotension: *letter,* **255**
Time course of symptomatic orthostatic hypotension and urinary incontinence in patients with postmortem confirmed parkinsonian syndromes: a clinicopathological study, **620**
outcome, Diphtheritic polyneuropathy: a clinical study and comparison with Guillain-Barré syndrome, **433**
Glasgow Head Injury Outcome Prediction Program: an independent assessment, **796**
outcome measures, Randomised, double blind, placebo controlled study of interferon β-1a in relapsing-remitting multiple sclerosis analysed by area under disability/time curves, **451**
Validation of Italian multiple sclerosis quality of life 54 questionnaire, **158**
overdosage, Acute overdosage and intoxication with carbidopa/levodopa can be detected in the subacute stage by measurement of 3-*o*-methyldopa: *letter,* **122**
Oxfordshire Community Stroke Project classification, Should computed tomography appearance of lacunar stroke influence patient management?, **682**

P300, Effect of interstimulus interval on visual P300 in Parkinson's disease, **497**
paint thinner misuse, Chronic misuse of paint thinners, **247**
pallidotomy, Transient hiccups after posteroventral pallidotomy for Parkinson's disease: *letter,* **124**
Unilateral pallidotomy for Parkinson's disease: results after more than 1 year, **511**
paraneoplastic cerebellar degeneration, Positive response to therapy in a patient with seropositive paraneoplastic cerebellar degeneration and an endometrioid carcinoma of the vesico- vaginal septum: *letter,* **412**
paraneoplastic neurological syndromes, Carcinoma associated paraneoplastic peripheral neuropathies in patients with and without anti-onconeural antibodies, **7**
paraneoplastic peripheral neuropathy, Carcinoma associated paraneoplastic peripheral neuropathy: *commentary,* **4**
Paraneoplastic stiff limb syndrome, Paraneoplastic stiff limb syndrome: *letter,* **126**
parietal cortex, Decreased density of GABA-A receptors in the left sensorimotor cortex in akinetic catatonia: investigation of in vivo benzodiazepine receptor binding, **445**
parietal lobe, Sound lateralisation in patients with left or right cerebral hemispheric lesions: relation with unilateral visuospatial neglect, **481**
parkinsonism, Effect of stimulation of the subthalamic nucleus on oral control of patients with parkinsonism, **329**
Mutations producing premature termination of translation and an amino acid substitution in the sterol 27-hydroxylase gene cause cerebrotendinous xanthomatosis associated with parkinsonism, **195**
Time course of symptomatic orthostatic hypotension and urinary incontinence in patients with postmortem confirmed parkinsonian syndromes: a clinicopathological study, **620**
Parkinson's disease, Acute and chronic effects of anteromedial globus pallidus stimulation in Parkinson's disease, **315**
Bradykinesia akinesia inco-ordination test (BRAIN TEST): an objective computerised assessment of upper limb motor function, **624**
Can the early presence of autonomic dysfunction aid diagnosis in parkinsonism?: *commentary,* **566**
Changes in cerebral blood oxygenation of the frontal lobe induced by direct electrical stimulation of thalamus and globus pallidus: a near infrared spectroscopy study, **769**
Deep brain stimulation in Parkinson's disease: *editorial,* **281**
Effect of interstimulus interval on visual P300 in Parkinson's disease, **497**
Evidence for cortical dysfunction in clinically non-demented patients with Parkinson's disease: a proton MR spectroscopy study, **20**
Improvement of levodopa induced dyskinesias by thalamic deep brain stimulation is related to slight variation in electrode placement: possible involvement of the centre median and parafascicularis complex, **308**
Learning in Parkinson's disease: eyeblink conditioning, declarative learning, and procedural learning, **27**
N-acetyltransferase-2 polymorphism in Parkinson's disease: the Rotterdam study, **518**
Neuropsychological abnormalities in first degree relatives of patients with familial Parkinson's disease, **323**
Parkinson's disease: a novel MRI method for determining structural changes in the substantia nigra, **815**
Proprioceptive regulation of voluntary ankle movements, demonstrated using muscle vibration, is impaired by Parkinson's disease, **504**
Range of neuropsychiatric disturbances in patients with Parkinson's disease, **492**
Re-emergent tremor of Parkinson's disease, **646**
Regulation of parkinsonian speech volume: the effect of interlocuter distance, **199**
^{123}I-metaiodobenzylguanidine myocardial scintigraphy in Parkinson's disease, **189**
Sleep benefit in Parkinson's disease, **384**
The Sydney multicentre study of Parkinson's disease: progression and mortality at 10 years, **300**
The Sydney multicentre study of Parkinson's disease: *editorial,* **280**
Transient hiccups after posteroventral pallidotomy for Parkinson's disease: *letter,* **124**
Unilateral pallidotomy for Parkinson's disease: results after more than 1 year, **511**
Usefulness of a dopamine transporter PET ligand [^{18}F]β-CFT in assessing disability in Parkinson's disease, **737**
perforating branch, Perforating branches from offending arteries in hemifacial spasm: anatomical correlation with vertebrobasilar configuration, **73**
peripheral nerve, Intermittent claudication due to ischaemia of the lumbosacral plexus, **793**
peripheral nerve diseases, Progressive polyradiculoneuropathy in diabetes: correlation of variables and clinical outcome after immunotherapy, **607**
peripheral neuropathy, Carcinoma associated paraneoplastic peripheral neuropathies in patients with and without anti-onconeural antibodies, **7**
peroxisome, Progression of abnormalities in adrenomyeloneuropathy and neurologically asymptomatic X-linked adrenoleukodystrophy despite treatment with "Lorenzo's oil", **290**
phenotypic heterogeneity, Mutation of the sterol 27-hydroxylase gene (*CYP27*) results in truncation of mRNA expressed in leucocytes in a Japanese family with cerebrotendinous xanthomatosis, **675**
phenytoin, Comparative double blind clinical trial of phenytoin and sodium valproate as anticonvulsant prophylaxis after craniotomy: efficacy, tolerability, and cognitive effects, **474**
phrenic nerve, Proximal diabetic neuropathy presenting with respiratory weakness, **539**

plexus lumbosacralis, Intermittent claudication due to ischaemia of the lumbosacral plexus, **793**

polymerase chain reaction, Comparative study between chemiluminescence assay and two different sensitive polymerase chain reactions on the diagnosis of serial herpes simplex virus encephalitis, **596**

False negative polymerase chain reaction on cerebrospinal fluid samples in tuberculous meningitis established by culture: *letter,* **249**

False negative polymerase chain reaction on cerebrospinal fluid samples in tuberculous meningitis: *letter,* **250**

polyneuropathy, Autosomal dominant muscle cramp syndrome in a Japanese family, **116**

Diphtheritic polyneuropathy, **825**

Relation between critical illness polyneuropathy and axonal Guillain-Barré syndrome: *letter,* **128**

polyradiculoneuropathy, Progressive polyradiculoneuropathy in diabetes: correlation of variables and clinical outcome after immunotherapy, **607**

pontine and extrapontine myelinolysis, Catatonia due to central pontine and extrapontine myelinolysis: case report: *letter,* **692**

population surveillance, Prospective, population based studies of cavernous malformations are needed: *correspondence,* **833**

positron emission tomography, Cerebral metabolism during vegetative state and after recovery to consciousness: *letter,* **121**

Positron emission tomography cerebral blood flow before and after embolisation of a dural arteriovenous fistulous malformation, **823**

Usefulness of a dopamine transporter PET ligand [^{18}F]β-CFT in assessing disability in Parkinson's disease, **737**

post-traumatic stress, Late onset startle induced tics, **782**

posturography, Disturbances of dynamic balance in phasic cervical dystonia, **807**

prediction, Glasgow Head Injury Outcome Prediction Program: an independent assessment, **796**

premature termination codon, Mutations producing premature termination of translation and an amino acid substitution in the sterol 27-hydroxylase gene cause cerebrotendinous xanthomatosis associated with parkinsonism, **195**

primary torsion dystonia, Primary torsion dystonia: the search for genes is not over, **395**

principal components, Use of the functional assessment measure (FIM+FAM) in head injury rehabilitation: a psychometric analysis, **749**

procainamide, Procainamide for faecal incontinence in myotonic dystrophy: *correspondence,* **257**

Proceedings of the Second Meeting of the Netherlands Society of Neurology and the Association of British Neurologists, Rotterdam, 14-15 May, 1999 , **835**

prognosis, Benign multiple sclerosis? Clinical course, long term follow up, and assessment of prognostic factors, **148**

Prognosis and recovery in ischaemic and traumatic spinal cord injury: clinical and electrophysiological evaluation, **567**

progressive frontal gait disturbance, Progressive frontal gait disturbance with atypical Alzheimer's disease and corticobasal degeneration, **345**

progressive multifocal leukoencephalopathy, Reduced concentrations of HIV-RNA and TNF-α coexist in CSF of AIDS patients with progressive multifocal leukoencephalopathy, **369**

progressive muscular atrophy, Some contributions of Duchenne de Boulogne (1806–75), **322**

proinflammatory cytokines, Peripheral levels of caspase-1 mRNA correlate with disease activity in patients with multiple sclerosis; a preliminary study, **785**

proprioception, Proprioceptive regulation of voluntary ankle movements, demonstrated using muscle vibration, is impaired by Parkinson's disease, **504**

prosody, Ideomotor prosodic apraxia: *letter,* **694**

proximal diabetic neuropathy, Proximal diabetic neuropathy presenting with respiratory weakness, **539**

pseudodominant, A family with pseudodominant Friedreich's ataxia showing marked variation of phenotype between affected siblings, **217**

pseudotumour cerebri, Pseudotumour after arteriovenous malformation embolisation: *letter,* **249**

psychiatric symptoms, Psychiatric inpatients and chromosome deletions within 22q11.2, **803**

Range of neuropsychiatric disturbances in patients with Parkinson's disease, **492**

psychometrics, Use of the functional assessment measure (FIM+FAM) in head injury rehabilitation: a psychometric analysis, **749**

psychoses, Epileptic psychoses and anticonvulsant drug treatment, **231**

pupil, Pupillographic findings in neglect, **82**

purkinje cell, Clinical, neuropathological, and molecular study in two families with spinocerebellar ataxia type 6 (SCA6), **86**

quality of life, Comparative double blind clinical trial of phenytoin and sodium valproate as anticonvulsant prophylaxis after craniotomy: efficacy, tolerability, and cognitive effects, **474**

Quality of life in patients with stable disease after surgery, radiotherapy, and chemotherapy for malignant brain tumour, **358**

Validation of Italian multiple sclerosis quality of life 54 questionnaire, **158**

rabies, "Can't you use another vaccine"? postrabies vaccination encephalitis: *letter,* **555**

radiculopathy, Giant cell arteritis of the cervical radicular vessels presenting with diaphragmatic weakness, **223**

Rasch, Use of the functional assessment measure (FIM+FAM) in head injury rehabilitation: a psychometric analysis, **749**

Rasmussen's encephalitis, Activation of the left motor cortex during left leg movements after right central resection, **487**

rating scales, Bradykinesia akinesia inco-ordination test (BRAIN TEST): an objective computerised assessment of upper limb motor function, **624**

reboxetine, Reversal of tetrabenazine induced depression by selective noradrenaline (norepinephrine) reuptake inhibition: *letter,* **550**

re-emergent tremor, Re-emergent tremor of Parkinson's disease, **646**

regulation, Regulation of parkinsonian speech volume: the effect of interlocuter distance, **199**

rehabilitation, Speed of information processing as a key deficit in multiple sclerosis: implications for rehabilitation, **661**

respiratory weakness, Proximal diabetic neuropathy presenting with respiratory weakness, **539**

retina, Visual field defects associated with vigabatrin therapy, **716**

retropulsion, Extrapyramidal involvement in amyotrophic lateral sclerosis: backward falls and retropulsion, **214**

rhinorrhea, Persisting rhinorrhoea and headache as the initial symptom of bilateral carotid artery dissection: *letter,* **828**

right frontal lobe, Right frontal lobe slow frequency repetitive transcranial magnetic stimulation (SF r-TMS) is an effective treatment for depression: a case-control pilot study of safety and efficacy, **113**

right hemisphere, Right hemisphere contributions to attention and intention: *commentary,* **5**

risk factor, Epileptic psychoses and anticonvulsant drug treatment, **231**

risk factors, Neuropsychological abnormalities in first degree relatives of patients with familial Parkinson's disease, **323**

Sudden unexpected death in epilepsy (SUDEP): a clinical perspective and a search for risk factors, **439**

Tumour type and size are high risk factors for the syndrome of "cerebellar" mutism and subsequent dysarthria, **755**

sarcoidosis, Sarcoid related optochiasmatic arachnoiditis: favourable outcome confirmed with MRI, **690**

SCA1, Vocal cord abductor paralysis in spinocerebellar ataxia type 1: *letter,* **695**

SCA6, Clinical, neuropathological, and molecular study in two families with spinocerebellar ataxia type 6 (SCA6), **86**

scalp electroencephalography, Generation of scalp discharges in temporal lobe epilepsy as suggested by intraoperative electrocorticographic recordings, **51**

scalp tumour, Tetanus originating from a benign scalp tumour, **120**

schizophrenia, Psychiatric inpatients and chromosome deletions within 22q11.2, **803**

Repetitive transcranial magnetic stimulation in the treatment of chronic negative schizophrenia: a pilot study: *letter,* **129**

seizures, Comparative double blind clinical trial of phenytoin and sodium valproate as anticonvulsant prophylaxis after craniotomy: efficacy, tolerability, and cognitive effects, **474**

selenium deficiency, White muscle disease in humans: myopathy caused by selenium deficiency in anorexia nervosa under long term total parenteral nutrition: *letter,* **829**

senile plaque, Association between butyrylcholinesterase K variant and the Alzheimer type neuropathological changes in apolipoprotein E ε4 carriers older than 75 years: *letter,* **693**

shunt, Specific patterns of cognitive impairment in patients with idiopathic normal pressure hydrocephalus and Alzheimer's disease: a pilot study, **723**

skeletal myopathy, White muscle disease in humans: myopathy caused by selenium deficiency in anorexia nervosa under long term total parenteral nutrition: *letter,* **829**

sleep, Unilateral focal lesions in the rostrolateral medulla influence chemosensitivity and breathing measured during wakefulness, sleep, and exercise, **637**

sleep apnoea, Night time versus daytime transient ischaemic attack and ischaemic stroke: a prospective study of 110 patients, **463**

slow frequency, Right frontal lobe slow frequency repetitive transcranial magnetic stimulation (SF r-TMS) is an effective treatment for depression: a case-control pilot study of safety and efficacy, **113**

small cell lung cancer, Anti-Hu antibody titre and brain metastases before and after treatment for small cell lung cancer, **353**

sodium valproate, Comparative double blind clinical trial of phenytoin and sodium valproate as anticonvulsant prophylaxis after craniotomy: efficacy, tolerability, and cognitive effects, **474**

somatosensory evoked potentials, N18 in median somatosensory evoked potentials: a new indicator of medullary function useful for the diagnosis of brain death, **374**
Prognosis and recovery in ischaemic and traumatic spinal cord injury: clinical and electrophysiological evaluation, **567**
somatosensory system, A case of thalamic syndrome: somatosensory influences on visual orientation, **390**
sound lateralisation, Sound lateralisation in patients with left or right cerebral hemispheric lesions: relation with unilateral visuospatial neglect, **481**
spatial neglect, Parietal and occipital lobe contributions to perception of straight ahead orientation, **572**
spatial orientation, A case of thalamic syndrome: somatosensory influences on visual orientation, **390**
specificity, Magnetic resonance imaging and vertebral artery dissection: *letter,* **691**
speech volume, Regulation of parkinsonian speech volume: the effect of interlocuter distance, **199**
speed of information processing, Speed of information processing as a key deficit in multiple sclerosis: implications for rehabilitation, **661**
sphenoid wing meningioma, Intracranial extracerebral follicular lymphoma mimicking a sphenoid wing meningioma: *letter,* **251**
spinal cord, Intracranial dural fistula as a cause of diffuse MR enhancement of the cervical spinal cord, **227**
spinal infarction, Spinal sulcal artery syndrome due to spontaneous bilateral vertebral artery dissection: *letter,* **550**
spinal muscular atrophy, Electrical inexcitability of nerves and muscles in severe infantile spinal muscular atrophy: *letter,* **122**
spinal sulcal artery syndrome, Spinal sulcal artery syndrome due to spontaneous bilateral vertebral artery dissection: *letter,* **550**
spinocerebellar ataxia, Dentatorubropallidoluysian atrophy in a Spanish family: a clinical, radiological, pathological, and genetic study, **811**
startle reflex, Late onset startle induced tics, **782**
statistical parametric mapping, Cerebral metabolism during vegetative state and after recovery to consciousness: *letter,* **121**
strain, Type 1 protease resistant prion protein and valine homozygosity at codon 129 of *PRNP* identify a subtype of sporadic Creutzfeldt-Jakob disease, **671**
stridor, Vocal cord abductor paralysis in spinocerebellar ataxia type 1: *letter,* **695**
stroke, Can stroke physicians and neuroradiologists identify signs of early cerebral infarction on CT?, **651**
Clinical and radiological determinants of prestroke cognitive decline in a stroke cohort, **742**
Lateral gaze synkinesis on downward saccade attempts with paramedian thalamic and midbrain infarct: *letter,* **696**
Nitric oxide in acute ischaemic stroke: a target for neuroprotection: *editorial,* **1**
Psychological adjustment and self reported coping in stroke survivors with and without emotionalism: *letter,* **125**
Recent progress in drug treatment for acute stroke: *editorial,* **420**
Verbal memory impairment after left insular cortex infarction, **532**
stroke onset, Night time versus daytime transient ischaemic attack and ischaemic stroke: a prospective study of 110 patients, **463**
subjective straight ahead, Parietal and occipital lobe contributions to perception of straight ahead orientation, **572**
substantia nigra, Parkinson's disease: a novel MRI method for determining structural changes in the substantia nigra, **815**
subthalamic nucleus, Effect of stimulation of the subthalamic nucleus on oral control of patients with parkinsonism, **329**
subtype specific antibody, Alterations of muscarinic acetylcholine receptor subtypes in diffuse Lewy body disease: relation to Alzheimer's disease, **209**
sudden death in epilepsy, Sudden unexpected death in epilepsy (SUDEP): a clinical perspective and a search for risk factors, **439**
surgery, Surgery for suspected neurogenic thoracic outlet syndromes: a follow up study, **602**
surgical therapy, Effect of stimulation of the subthalamic nucleus on oral control of patients with parkinsonism, **329**
swallow syncope, Continuous haemodynamic monitoring in an unusual case of swallow induced syncope, **220**
Swan-Ganz catheter, Continuous drop type of orthostatic hypotension: *letter,* **255**
sympathetic preganglionic neuron, Focal (segmental) dyshidrosis in syringomyelia, **106**
synkinesis, Lateral gaze synkinesis on downward saccade attempts with paramedian thalamic and midbrain infarct: *letter,* **696**
syringomyelia, Chronic misuse of paint thinners, **247**
Focal (segmental) dyshidrosis in syringomyelia, **106**
systemic sclerosis, Extensive brain calcifications in systemic sclerosis: two cases: *letter,* **697**

T cell receptor usage, Lack of restriction of T cell receptor β variable gene usage in cerebrospinal fluid lymphocytes in acute optic neuritis, **585**
temporal lobe epilepsy, Generation of scalp discharges in temporal lobe epilepsy as suggested by intraoperative electrocorticographic recordings, **51**
Ictal PET in temporal lobe epilepsy, **409**
temporal order, Retrograde temporal order amnesia resulting from damage to the fornix, **102**
temporomandibular disorder, Jaws: diversities of gnathological history and temporomandibular joint enterprise: *review,* **141**
temporomandibular joint, Jaws: diversities of gnathological history and temporomandibular joint enterprise: *review,* **141**
tests, Bradykinesia akinesia inco-ordination test (BRAIN TEST): an objective computerised assessment of upper limb motor function, **624**
tetanus, Tetanus originating from a benign scalp tumour, **120**
tetrabenazine, Reversal of tetrabenazine induced depression by selective noradrenaline (norepinephrine) reuptake inhibition: *letter,* **550**
tetrodotoxin, Tetrodotoxin intoxication in a uraemic patient: *letter,* **127**
thalamic infarcts, Single thalamic-subthalamic artery and bilateral thalamic infarcts, **119**
thalamus, Neurostimulation of the ventral intermediate thalamic nucleus alleviates hereditary essential myoclonus: *letter,* **415**
Retrograde temporal order amnesia resulting from damage to the fornix, **102**
therapeutics, Nitric oxide in acute ischaemic stroke: a target for neuroprotection: *editorial,* **1**
therapy, Interferon-β-1a in relapsing-remitting multiple sclerosis: effect on hypointense lesion volume on T1 weighted images, **579**
thoracic outlet, Surgery for suspected neurogenic thoracic outlet syndromes: a follow up study, **602**
tibial foot, All tibial foot: an electrophysiological artifact: *correspondence,* **698**
tics, Late onset startle induced tics, **782**
TNF-α, Reduced concentrations of HIV-RNA and TNF-α coexist in CSF of AIDS patients with progressive multifocal leukoencephalopathy, **369**
tonic pupil, Pupil abnormality in amyloidosis with autonomic neuropathy, **819**
transcranial Doppler ultrasound, Transcranial Doppler ultrasound: *editorial,* **135**
transcranial magnetic stimulation, Repetitive transcranial magnetic stimulation in the treatment of chronic negative schizophrenia: a pilot study: *letter,* **129**
Right frontal lobe slow frequency repetitive transcranial magnetic stimulation (SF r-TMS) is an effective treatment for depression: a case-control pilot study of safety and efficacy, **113**
transcranial real time sonography, Basal ganglia alterations and brain atrophy in Huntington's disease depicted by transcranial real time sonography, **457**
transcription, Human herpesvirus 6 is latent in peripheral blood of patients with relapsing-remitting multiple sclerosis, **529**
transient ischaemic attacks, Vasomotor reactivity is exhausted in transient ischaemic attacks with limb shaking: *correspondence,* **131**
transient ischemic attack, Crying spells as symptoms of a transient ischaemic attack: *letter,* **255**
traumatic brain injury, Dysautonomia after traumatic brain injury: a forgotten syndrome?, **39**
traumatic spinal cord injury, Prognosis and recovery in ischaemic and traumatic spinal cord injury: clinical and electrophysiological evaluation, **567**
Prognosis and recovery in ischaemic and traumatic spinal cord injury: *commentary,* **564**
treatment, Physicians, subsequence and consequence: *review,* **282**
Treatment recommendations for interferon-β in multiple sclerosis: *editorial,* **561**
Unilateral pallidotomy for Parkinson's disease: results after more than 1 year, **511**
tremor, Re-emergent tremor of Parkinson's disease, **646**
trigeminal nerve, A novel mutation of the myelin P_0 gene segregating Charcot-Marie-Tooth disease type 1B manifesting as trigeminal nerve thickening: *letter,* **250**
trigemino-accessory reflex, Unmasking of the trigemino-accessory reflex in accessory facial anastomosis, **379**
tuberculous meningitis, False negative polymerase chain reaction on cerebrospinal fluid samples in tuberculous meningitis established by culture: *letter,* **249**
False negative polymerase chain reaction on cerebrospinal fluid samples in tuberculous meningitis: *letter,* **250**
tumour blood flow, Neuronal activity alters local blood flow in brain tumour adjacent to the activating cortex: *letter,* **553**

ultrasonics, Prevalence and frequency of microembolic signals in 105 patients with extracranial carotid artery occlusive disease, **525**
unexpected death, From mystery to prevention: sudden unexpected death in epilepsy, time to move on: *commentary,* **427**
unilateral visuo-spatial neglect, Sound lateralisation in patients with left or right cerebral hemispheric lesions: relation with unilateral visuospatial neglect, **481**
uraemic neuropathy, Tetrodotoxin intoxication in a uraemic patient: *letter,* **127**
urinary incontinence, Time course of symptomatic orthostatic hypotension and urinary incontinence in patients with postmortem confirmed parkinsonian syndromes: a clinicopathological study, **620**

urodynamic study, Urinary function in elderly people with and without leukoaraiosis: relation to cognitive and gait function, **658**

vaccination, "Can't you use another vaccine"? postrabies vaccination encephalitis: *letter,* **555**
variable phenotype, A family with pseudodominant Friedreich's ataxia showing marked variation of phenotype between affected siblings, **217**
Vasomotor reactivity, Vasomotor reactivity is exhausted in transient ischaemic attacks with limb shaking: *correspondence,* **131**
vegetative state, Cerebral metabolism during vegetative state and after recovery to consciousness: *letter,* **121**
velocardiofacial syndrome, Psychiatric inpatients and chromosome deletions within 22q11.2, **803**
venous angioma, Clinical significance of intracranial developmental venous anomalies, **234**
venous sinus thrombosis, Pseudotumour after arteriovenous malformation embolisation: *letter,* **249**
venous thrombosis, Acute cauda equina syndrome caused by thrombosis of the inferior vena cava: *letter,* **827**
verotoxin producing *E coli* (VTEC), Axonal polyneuropathy and encephalopathy in a patient with verotoxin producing *Escherichia coli* (VTEC) infection: *letter,* **254**
vertebral artery, Magnetic resonance imaging and vertebral artery dissection: *letter,* **691**
Spinal sulcal artery syndrome due to spontaneous bilateral vertebral artery dissection: *letter,* **550**
vertebrobasilar, Perforating branches from offending arteries in hemifacial spasm: anatomical correlation with vertebrobasilar configuration, **73**
***VHL* gene,** The impact of molecular genetic analysis of the *VHL* gene in patients with haemangioblastomas of the central nervous system, **758**
vibration, Proprioceptive regulation of voluntary ankle movements, demonstrated using muscle vibration, is impaired by Parkinson's disease, **504**
vigabatrin, Vigabatrin associated visual field constriction: *commentary,* **707**
Visual field defects associated with vigabatrin therapy, **716**
visual field, Visual field defects associated with vigabatrin therapy, **716**
visual field constriction, Vigabatrin associated visual field constriction: *commentary,* **707**
visual hallucinations., When the left brain is not right the right brain may be left: report of personal experience of occipital hemianopia, **169**
visual neglect, Hemianopia and visual neglect: a question of balance?: *commentary,* **565**
visual vertical, A case of thalamic syndrome: somatosensory influences on visual orientation, **390**
vocal cord abductor paralysis, Vocal cord abductor paralysis in spinocerebellar ataxia type 1: *letter,* **695**
von Hippel-Lindau disease, The impact of molecular genetic analysis of the *VHL* gene in patients with haemangioblastomas of the central nervous system, **758**
Vulpian-Bernhart's form of amyotrophic lateral sclerosis, Flail arm syndrome or Vulpian-Bernhart's form of amyotrophic lateral sclerosis: *correspondence,* **258**

Wada test, Behavioural status during the intracarotid amobarbital procedure (Wada test): relevance for surgical management: *letter,* **549**
whiplash, Pain after whiplash: *correspondence,* **258**
whiplash syndrome, Relation between neuropsychological and neuroimaging findings in patients with late whiplash syndrome: *correspondence,* **831**
white matter hyperintensities, White matter lesions on magnetic resonance imaging in dementia with Lewy bodies, Alzheimer's disease, vascular dementia, and normal aging, **66**
working memory, Speed of information processing as a key deficit in multiple sclerosis: implications for rehabilitation, **661**

X-linked adrenoleukodystrophy, Progression of abnormalities in adrenomyeloneuropathy and neurologically asymptomatic X-linked adrenoleukodystrophy despite treatment with "Lorenzo's oil", **290**
Treatment of X-linked adrenoleukodystrophy with Lorenzo's oil: *editorial,* **279**